


What is claimed is:


1. A compound of formula I



I

- 5 or a pharmaceutically acceptable salt thereof wherein:


A is a structure i, ii, or iii




C is aryl or heteroaryl, wherein each of the aryl and heteroaryl are optionally substituted with 1-3 of R_2 ;

- 10 B is selected from cycloalkyl, substituted cycloalkyl, cycloalkenyl, substituted cycloalkenyl, aryl, substituted aryl, het and substituted het, or B and one R_2 , if present, together, with the phenyl carbon atoms to which B and the one R_2 are bonded, form a het, the het optionally being a substituted het, provided that

- 15 when C is phenyl optionally substituted with R_2 that B is not



Q is independently selected from H, C_1 - C_6 alkyl, $-O$ - C_1 - C_6 alkyl, phenyl, benzyl, $-OH$, CF_3 , CCl_3 , $-NR_3R_3$, $-C_1$ - C_6 alkylene- NR_3R_3 , C_1 - C_6 alkylene- $(CH_2phenyl)-NR_3R_3$, C_1 - C_6 alkylene- $(CH_2benzyl)-NR_3R_3$, and



20

R_1 is selected from H, $-OH$, alkyl, cycloalkyl, alkoxy, alkenyl, amino, substituted alkyl, substituted alkoxy, and substituted alkenyl;


Each R_2 is independently selected from H, alkyl, amino, NO_2 , $-\text{CN}$, halo, and substituted alkyl;

Each R_3 is independently selected from H or $\text{C}_1\text{-C}_6$ alkyl; and

W_2 is O or S.

5

2. A compound of formula II




II

or a pharmaceutically acceptable salt thereof wherein:


10

A is a structure i, ii, or iii




B is selected from cycloalkyl, substituted cycloalkyl, cycloalkenyl, substituted cycloalkenyl, aryl, substituted aryl, het, and substituted het, or B and one R_2 together, with the phenyl carbon atoms to which B and the one R_2 are bonded, form a het, the
 15 het optionally being a substituted het,

provided that



Q is independently selected from H, $\text{C}_1\text{-C}_6$ alkyl, $-\text{O-C}_1\text{-C}_6$ alkyl, phenyl, benzyl, $-\text{OH}$, CF_3 , CCl_3 , $-\text{NR}_3\text{R}_3$, $-\text{C}_1\text{-C}_6$ alkylene- NR_3R_3 , $\text{C}_1\text{-C}_6$ alkylene-
 20 $(\text{CH}_2\text{phenyl})\text{-NR}_3\text{R}_3$, $\text{C}_1\text{-C}_6$ alkylene- $(\text{CH}_2\text{benzyl})\text{-NR}_3\text{R}_3$, and



R_1 is selected from H, -OH, alkyl, cycloalkyl, alkoxy, alkenyl, amino, substituted alkyl, substituted alkoxy, and substituted alkenyl;


Each R_2 is independently selected from H, alkyl, amino, NO_2 , -CN, halo, and substituted alkyl;

- 5 Each R_3 is independently selected from H or C_1 - C_6 alkyl; and
 W_2 is O or S.


3. The compound of claim 2, wherein each R_2 is independently selected from H, F, Cl, Br, CN, NH_2 , NO_2 , CF_3 , and CH_3 .

10

4. The compound of claim 2, wherein the structure of A is




5. The compound of claim 3, wherein the structure of A is



15

6. The compound of claim 5, wherein the structure of A is



- 20 7. The compound of claim 2, wherein R_1 is H, $-NH_2$, -OH, C_{1-4} alkyl, C_{3-5} cycloalkyl, C_{1-4} alkoxy, or C_{2-4} alkenyl, the alkyl, alkoxy and alkenyl each optionally being substituted with one or more halo, -OH, -CN.

8. The compound of claim 7, wherein R_1 is H, -OH, $-CH_2-CH=CH_2$, methyl,
 25 ethyl, propyl, $-CH_2-CH_2F$, $-CH_2-CH_2OH$, or methoxy.

9. The compound of claim 2, wherein B is het or substituted het.

10. The compound of claim 9, wherein B is morpholinyl, piperazinyl, pyridyl, thiomorpholinyl, 3,6-dihydro-2H-thiopyranyl, tetrahydro-2H-thiopyranyl, 3,6-dihydro-2H-pyranyl, tetrahydro-2H-pyranyl, azetidiny, 5,6-dihydro-4H-[1,3,4]thiadiazinyl, 2,5-dihydro-1H-pyrrolyl, 3,4-dihydro-1(2H)-pyridinyl, tetrahydropyridyl, 5,7-dihydro-6H-pyrrolo[3,4-b]pyridinyl, 2,3-dihydro-4H-1,4-thiazinyl, each of the morpholinyl, piperazinyl, pyridyl, thiomorpholinyl, 3,6-dihydro-2H-thiopyranyl, tetrahydro-2H-thiopyranyl, 3,6-dihydro-2H-pyranyl, tetrahydro-2H-pyranyl, azetidiny, 5,6-dihydro-4H-[1,3,4]thiadiazinyl, 2,5-dihydro-1H-pyrrolyl, 3,4-dihydro-1(2H)-pyridinyl, tetrahydropyridyl, 5,7-dihydro-6H-pyrrolo[3,4-b]pyridinyl, 2,3-dihydro-4H-1,4-thiazinyl being optionally substituted with 1-4 groups selected from =O, alkyl, substituted alkyl, amino, substituted amino, -OH, =NOH, =NC₁₋₄ alkyl, and halo.

15

11. The compound of claim 8, wherein B is het or substituted het.


12. The compound of claim 11, wherein B is morpholinyl, piperazinyl, pyridyl, thiomorpholinyl, 3,6-dihydro-2H-thiopyranyl, tetrahydro-2H-thiopyranyl, 3,6-dihydro-2H-pyranyl, tetrahydro-2H-pyranyl, azetidiny, 5,6-dihydro-4H-[1,3,4]thiadiazinyl, 2,5-dihydro-1H-pyrrolyl, 3,4-dihydro-1(2H)-pyridinyl, tetrahydropyridyl, 5,7-dihydro-6H-pyrrolo[3,4-b]pyridinyl, 2,3-dihydro-4H-1,4-thiazinyl, each of the morpholinyl, piperazinyl, pyridyl, thiomorpholinyl, 3,6-dihydro-2H-thiopyranyl, tetrahydro-2H-thiopyranyl, 3,6-dihydro-2H-pyranyl, tetrahydro-2H-pyranyl, azetidiny, 5,6-dihydro-4H-[1,3,4]thiadiazinyl, 2,5-dihydro-1H-pyrrolyl, 3,4-dihydro-1(2H)-pyridinyl, tetrahydropyridyl, 5,7-dihydro-6H-pyrrolo[3,4-b]pyridinyl, 2,3-dihydro-4H-1,4-thiazinyl being optionally substituted with 1-4 groups selected from =O, alkyl, substituted alkyl, amino, substituted amino, -OH, =NOH, =NC₁₋₄ alkyl, and halo.

30

5



14. The compound of claim 12, wherein B is selected from




5

15. The compound of claim 2, wherein one R₂ is hydrogen and the other R₂ is F.


16. The compound of claim 2, wherein both R₂ substituents are F.

17. The compound of claim 2, wherein one R_2 and B together form a het.
18. The compound of claim 17, wherein R_2 and B form $-S-C(O)-N(Q_{50})-$, $-O-C(O)-N(Q_{50})-$, $-N(Q_{50})-HCQ_{50}-CH_2-$, $-NQ_{50}-C(O)-CH_2-O-$, $-NQ_{50}-C(O)-CF_2-O-$,
 5 $-NQ_{50}-C(O)-CH_2-S-$, $-NQ_{50}-C(O)-CF_2-S-$, $-NQ_{50}-C(S)-CH_2-S-$, $-NQ_{50}-C(O)-CH_2-CH_2-$, $-CH_2-CH_2-NQ_{50}-CH_2-CH_2-$, or $-CH_2-NQ_{50}-CH_2-CH_2-CH_2-$, where Q_{50} is H or C_{1-4} alkyl optionally substituted with 1-3 of =O, or -OH.
19. The compound of claim 18, wherein Q_{50} is methyl, isopropyl, ethyl, formyl, acetyl, or $-C(O)-CH_2OH$.
20. A compound of formula III










III


- 15 or a pharmaceutically acceptable salt thereof wherein:
 A is a structure i, ii, or iii




B is


- 20 a) ,
- b) ,
- c) ,
- 25 d) ,

- e)  ,
- 5 f)  ,
- g)  ,
- 10 h)  ,
- i)  ,
- 15 j)  ,
- k)  ,
- 20 l) a diaziny group optionally substituted with X and Y,
 m) a triazinyl group optionally substituted with X and Y,
 n) a quinolinyl group optionally substituted with X and Y,
 o) a quinoxaliny group optionally substituted with X and Y,
 25 p) a naphthyridinyl group optionally substituted with X and Y,









5





10




15




20




25



30




bb)




,

cc)




,

dd)




,

ee)



,

ff)








,


gg)



,



10 B and one R₂ are taken together to form


A¹ is

- 5 a) H-, or
 b) CH₃;


A² is

- a) H-,
 b) HO-,
 10 c) CH₃-,
 d) CH₃O-,
 e) R¹⁰²O-CH₂-C(O)-NH-,
 f) R¹⁰³O-C(O)-NH-,
 g) (C₁-C₂)alkyl-O-C(O)-,
 15 h) HO-CH₂-,
 i) CH₃O-NH-,
 j) (C₁-C₃)alkyl-O₂C-

k) $\text{CH}_3\text{-C(O)-}$,l) $\text{CH}_3\text{-C(O)-CH}_2\text{-}$,


m)  , or


5

n)  ,


 A^1 and A^2 taken together are:

10

a)  ,

b)  , or

15

c)  ;

A^3 represents any 5-10 membered aryl ring or aromatic het, the het having 1-4 heteroatoms selected from O, S, or N;

 B_1 is

20

a) $\text{-N=C(H)-C(H)=C(H)-}$, orb) $\text{-C(H)=N-C(H)=C(H)-}$; D_1 is

a) O,

b) S(O)_i , or

25

c) $\text{-N(R}_{304}\text{)-}$; D_2 is

a) O, or

b) $\text{-N(R}_{304}\text{)-}$;

E is

30

a) NR_{39} ,b) -S(=O)_i ,

c) O, or

d) $\text{-S(=O)(=NR}_{315}\text{)-}$; F_1 is

- 5
- a) O,
 - b) S,
 - c) NH,
 - d) N-OH,
 - e) N-O-C₁₋₄ alkyl,
 - f) N-OC(O)-C₁₋₄ alkyl, or
 - g) N-C₁₋₄alkyl;

K₁ is

- 10
- a) O,
 - b) S, or
 - c) -NR₃₀₅-;

M is

- 15
- a) H,
 - b) C₁₋₈ alkyl,
 - c) C₃₋₈ cycloalkyl,
 - d) -(CH₂)_mOR₁₃, or
 - e) -(CH₂)_h-NR₂₁R₂₂;

T₁ is

- 20
- a) -O-,
 - b) -NR₃₀₆-
 - c) -S(O)_i-,
 - d) -C(R₂)-, or
 - e) -C(O)-;

T₂ is

- 25
- a) -O-,
 - b) -NR₃₀₇-,
 - c) -S(O)_i-,
 - d) -C(O)-, or
 - e) -C(R₂)₂-;

30 Each U₁, U₂, and U₃ is independently selected from

- a) -C(R₁)₂-,
- b) -NR₃₉-,
- c) -O-, or
- d) -S(O)_i-;

V is

- a) O,
- b) CH₂, or
- c) NR₈₇;

5 W is

- a) CH, or
- b) N;

W₁ is

- a) -NH-,
- 10 b) O, or
- c) S;

W₂ is O or S;

X is

- a) H,
- 15 b) -CN,
- c) -OR₂₇,
- d) halo,
- e) -NO₂,
- f) tetrazolyl optionally substituted with C₁₋₄alkyl,
- 20 g) -SH,
- h) -S(=O)_iR₄,
- i) -SC(=O)R₇,
- j) -C(=O)R₂₅,
- k) -C(=O)NR₂₇R₂₈,
- 25 l) -C(=NR₂₉)R₂₅,
- m) -C(R₂₅)(R₂₈)-OR₁₃,
- n) -C(R₂₅)(R₂₈)-OC(=O)R₁₃,
- o) -C(R₂₈)(OR₁₃)-(CH₂)_h-NR₂₇R₂₈,
- p) -NR₂₇R₂₈,
- 30 q) -N(R₂₇)C(=O)R₇,
- r) -N(R₂₇)-S(=O)_iR₇,
- s) -C(OR₁₄)(OR₁₅)R₂₈,
- t) -C(R₂₅)(R₁₆)-NR₂₇R₂₆,

- u) $-C_{1-8}$ alkyl substituted with one or more halos, OH, =O other than at alpha position, $-S(=O)_iR_{17}$, $-NR_{27}R_{28}$, C_{2-5} alkenyl, C_{2-5} alkynyl, or C_{3-8}

cycloalkyl, or

- v) $-Het$ optionally substituted with R_2 , =O or =S;

5 Y is

- a) H,
b) F,
c) Cl,
d) Br,
10 e) C_{1-3} alkyl, or
f) NO_2 ;

Each Y_1 and Y_2 is independently

- a) CH, or
b) N provided that ----- is absent, or
15 c) C when ----- is present;

Z is

- a) O,
b) S, or
c) NM;

20 Z_1 is

- a) $-CH_2-$,
b) $-CH(R^{104})-CH_2-$,
c) $-C(O)-$, or
d) $-CH_2CH_2CH_2-$;

25 Z^2 is

- a) $-S(O)_i-$,
b) $-O-$,
c) $-N(R^{107})-$, or
d) $-S(=O)(=NR^{315})-$;

30 Z^3 is

- a) $-S(O)_i-$, or
b) $-O-$,

Z^4 is

- a) $-S(=O)_i-$, or

- b) $-NR^{303}-$;
- Z^5 is
- a) $-O-$,
- b) $-NH-$,
- 5 c) $-CH_2-$,
- d) $-C(halo)_2-$, or
- e) $-S(=O)_i-$;
- Z^6 is
- a) $S(=O)_i$,
- 10 b) $S(=NR^{315})$, or
- c) $S(=NR^{315})(=O)$;
- Z^7 is
- a) N,
- b) CR^{110} ,
- 15 c) CR^{115} , or
- d) CR^{116} ;
- Z^8 is
- a) O, or
- b) S;
- 20 R_1 is
- a) H,
- b) $-OH$,
- c) C_{1-6} alkyl optionally substituted with one or more halos, $-OH$, $-CN$, aryl, het, alkoxy, substituted aryl or substituted het,
- 25 d) C_{1-6} alkoxy optionally substituted with one or more halos, $-OH$, $-CN$, aryl, het, substituted aryl or substituted het,
- e) C_{2-6} alkenyl optionally substituted with aryl, het, substituted aryl or substituted het,
- f) $-NH_2$, or
- 30 g) C_{3-5} cycloalkyl;
- R_2 is
- a) H,
- b) C_{1-2} alkyl optionally substituted with one or more halos,
- c) $-NH_2$,

- d) $-\text{NO}_2$,
- e) $-\text{CN}$, or
- f) halo;

R_4 is

- 5 a) H
- b) C_{1-4} alkyl optionally substituted with one or more halos, OH, CN, $\text{NR}_{10}\text{R}_{11}$, or $-\text{CO}_2\text{R}_{13}$,
- c) C_{2-4} alkenyl,
- d) $-\text{NR}_{16}\text{R}_{18}$,
- 10 e) $-\text{NHC}(=\text{O})\text{R}_7$,
- f) $-\text{NR}_{20}\text{C}(=\text{O})\text{R}_7$,
- g) $-\text{N}(\text{R}_{17})_2$,
- h) $-\text{NR}_{16}\text{R}_{17}$, or
- i) $-\text{NR}_{17}\text{R}_{20}$;

15 R_5 and R_6 at each occurrence are the same or different and are

- a) C_{1-2} alkyl, or
- b) R_5 and R_6 taken together are $-(\text{CH}_2)_k$;

R_7 is

- a) C_{1-4} alkyl optionally substituted with one or more halos;

20 R_{10} and R_{11} at each occurrence are the same or different and are

- a) H,
- b) C_{1-4} alkyl, or
- c) C_{3-8} cycloalkyl;

R_{13} is

- 25 a) H, or
- b) C_{1-4} alkyl;

R_{14} and R_{15} at each occurrence are the same or different and are

- a) C_{1-4} alkyl, or
- b) R_{14} and R_{15} taken together are $-(\text{CH}_2)_1$;

30 R_{16} is

- a) H,
- b) C_{1-4} alkyl, or
- c) C_{3-8} cycloalkyl;

R_{17} is

- a) C₁₋₄ alkyl, or
 b) C₃₋₈ cycloalkyl;
- R₁₈ is
- a) H,
 5 b) C₁₋₄ alkyl,
 c) C₂₋₄ alkenyl,
 d) C₃₋₄ cycloalkyl,
 e) -OR₁₃ or
 f) -NR₂₁R₂₂;
- 10 R₂₀ is a physiologically acceptable cation, such as sodium, potassium, lithium, calcium or magnesium;
 R₂₁ and R₂₂ at each occurrence are the same or different and are
- a) H,
 b) C₁₋₄ alkyl, or
 15 c) R₂₁ and R₂₂ taken together are -(CH₂)_m;
- R₂₅ is
- a) H,
 b) C₁₋₈ alkyl optionally substituted with one or more halos, C₃₋₈ cycloalkyl, C₁₋₄ alkyl substituted with one or more of -S(=O)_iR₁₇,
 20 -OR₁₃, or OC(=O)R₁₃, NR₂₇R₂₈, or
 c) C₂₋₅ alkenyl optionally substituted with -C(O)H, or CO₂R₁₃;
- R₂₆ is
- a) R₂₈, or
 b) -NR₂₇N₂₈;
- 25 R₂₇ and R₂₈ at each occurrence are the same or different and are
- a) H,
 b) C₁₋₈ alkyl,
 c) C₃₋₈ cycloalkyl,
 d) -(CH₂)_mOR₁₃,
 30 e) -(CH₂)_h-NR₂₁R₂₂, or
 f) R₂₇ and R₂₈ taken together are -(CH₂)₂O(CH₂)₂-, -(CH₂)_hCH(COR₇)-, or -(CH₂)₂N(CH₂)₂(R₇);
- R₂₉ is
- a) -NR₂₇R₂₈,

- b) $-\text{OR}_{27}$, or
- c) $-\text{NHC}(=\text{O})\text{R}_{28}$;

R_{30} is

- a) H, or
- 5 b) C_{1-4} alkyl optionally substituted with one or more halos, OH, C_{1-4} alkoxy, CN, SH, NH_2 , $-\text{OR}_{31}$, $-\text{NHR}_{31}$, $-\text{N}(\text{R}_{31})_2$, or $-\text{S}(\text{O})\text{iR}_{31}$;

R_{31} is

- a) C_{1-4} alkyl,
- b) $-\text{C}(\text{O})\text{C}_{1-4}$ alkyl,
- 10 c) $-\text{C}(\text{O})\text{OC}_{1-4}$ alkyl,
- d) $-\text{C}(\text{O})\text{NH}_2$,
- e) $-\text{C}(\text{O})\text{NHC}_{1-4}$ alkyl, or
- f) $-\text{SO}_2\text{C}_{1-4}$ alkyl;

R_{38} is

- 15 a) H,
- b) C_{1-6} alkyl,
- c) $-(\text{CH}_2)_q\text{-aryl}$, or
- d) halo;

R_{39} is

- 20 a) H,
- b) C_{1-6} alkyl optionally substituted with one or more OH, halo, or $-\text{CN}$,
- c) $-(\text{CH}_2)_w\text{-aryl}$,
- d) $-\text{CO}_2\text{R}_{40}$,
- e) $-\text{COR}_{41}$,
- 25 f) $-\text{C}(=\text{O})-(\text{CH}_2)_q-\text{C}(=\text{O})\text{R}_{40}$,
- g) $-\text{S}(=\text{O})_2-\text{C}_{1-6}$ alkyl,
- h) $-\text{S}(=\text{O})_2-(\text{CH}_2)_q\text{-aryl}$, or
- i) $-(\text{C}=\text{O})_j\text{-Het}$;

R_{40} is

- 30 a) H,
- b) C_{1-6} alkyl optionally substituted with one or more OH, halo, or $-\text{CN}$,
- c) $-(\text{CH}_2)_q\text{-aryl}$, or
- d) $-(\text{CH}_2)_q\text{-OR}_{42}$;

R_{41} is

- a) C₁₋₆ alkyl optionally substituted with one or more OH, halo, -OP(O)(OH)₂, -OP(OH)₂, or -CN,
- b) -(CH₂)_q-aryl, or
- c) -(CH₂)_q-OR₄₂;
- 5 R₄₂ is
- a) H,
- b) C₁₋₆ alkyl,
- c) -(CH₂)_q-aryl, or
- d) -C(=O)-C₁₋₆ alkyl;
- 10 R₄₉ and R₅₀ at each occurrence are the same or different and are
- a) H,
- b) C₁₋₄ alkyl,
- c) C₅₋₆ cycloalkyl, or
- d) R₄₉ and R₅₀ taken together with the nitrogen atom is a 5-, 6-membered
- 15 saturated heterocyclic moiety which optionally has a further hetero atom selected from the group consisting of S, N, and O, and can in turn be optionally substituted with, including on the further nitrogen atom, C₁₋₃ alkyl, or C₁₋₃ acyl;
- R₅₁ is
- 20 a) carboxyl,
- b) halo,
- c) -CN,
- d) mercapto,
- e) formyl,
- 25 f) CF₃,
- g) -NO₂,
- h) C₁₋₆ alkoxy,
- i) C₁₋₆ alkoxycarbonyl,
- j) C₁₋₆ alkythio,
- 30 k) C₁₋₆ acyl,
- l) C₁₋₆ alkyl optionally substituted with OH, C₁₋₅ alkoxy, C₁₋₅ acyl, or -NR₄₉R₅₀,
- m) phenyl,
- n) -C(=O)NR₅₂R₅₃,

- o) $-\text{NR}_{49}\text{R}_{50}$,
- p) $-\text{N}(\text{R}_{52})(-\text{SO}_2\text{R}_{54})$,
- q) $-\text{SO}_2-\text{NR}_{52}\text{R}_{53}$, or
- r) $-\text{S}(=\text{O})_i\text{R}_{54}$;

5 R_{52} and R_{53} at each occurrence are the same or different and are

- a) H,
- b) C_{1-6} alkyl, or
- c) phenyl;

R_{54} is


- 10 a) C_{1-4} alkyl, or
- b) phenyl optionally substituted with C_{1-4} alkyl;

R_{73} and R_{74} at each occurrence are the same or different and are

- a) H,
- b) carboxyl,
- 15 c) halo,
- d) $-\text{CN}$,
- e) mercapto,
- f) formyl,
- g) CF_3 ,
- 20 h) $-\text{NO}_2$,
- i) C_{1-6} alkoxy,
- j) C_{1-6} alkoxy carbonyl,
- k) C_{1-6} alkythio,
- l) C_{1-6} acyl,
- 25 m) $-\text{NR}_{78}\text{R}_{79}$,
- n) C_{1-6} alkyl optionally substituted with OH, C_{1-5} alkoxy, C_{1-5} acyl,
 $-\text{NR}_{78}\text{R}_{79}$, $-\text{N}(\text{phenyl})(\text{CH}_2-\text{CH}_2-\text{OH})$, $-\text{O}-\text{CH}(\text{CH}_3)(\text{OCH}_2\text{CH}_3)$, or
 $-\text{O}-\text{phenyl}-[\text{para}-\text{NHC}(=\text{O})\text{CH}_3]$,
- o) C_{2-8} alkenylphenyl optionally substituted with R_{51} ,
- 30 p) phenyl optionally substituted with R_{51} , or
- q) a 5-, or 6-membered saturated or unsaturated heterocyclic moiety
having one to three atoms selected from the group consisting of S, N,
and O, optionally substituted with R_{51} ;

R_{78} and R_{79} at each occurrence are the same or different and are


- a) H,
 - b) C₁₋₄ alkyl,
 - c) phenyl, or
 - d) R₇₈ and R₇₉ taken together with the nitrogen atom is a 5-, 6-membered
- 5 saturated heterocyclic moiety which optionally has a further hetero atom selected from the group consisting of S, N, and O, and can in turn be optionally substituted with, including on the further nitrogen atom, C₁₋₃ alkyl, or C₁₋₃ acyl;
- R₈₀ is
- a) H,
 - 10 b) formyl,
 - c) carboxyl,
 - d) C₁₋₆ alkoxycarbonyl,
 - e) C₁₋₈ alkyl,
 - f) C₂₋₈ alkenyl,
- 15 wherein the substituents (e) and (f) can be optionally substituted with OH, halo, C₁₋₆ alkoxy, C₁₋₆ acyl, C₁₋₆ alkylthio or C₁₋₆ alkoxycarbonyl, or phenyl optionally substituted with halo,
- g) an aromatic moiety having 6 to 10 carbon atoms optionally substituted with carboxyl, halo, -CN, formyl, CF₃, -NO₂, C₁₋₆ alkyl, C₁₋₆ alkoxy,
 - 20 C₁₋₆ acyl, C₁₋₆ alkylthio, or C₁₋₆ alkoxycarbonyl;
 - h) -NR₈₁R₈₂,
 - i) -OR₉₀,
 - j) -S(=O)_i-R₉₁, or
 - k) -SO₂-N(R₉₂)(R₉₃);
- 25 R₈₁ and R₈₂ at each occurrence are the same or different and are
- a) H,
 - b) C₃₋₆ cycloalkyl,
 - c) phenyl,
 - d) C₁₋₆ acyl,
 - 30 e) C₁₋₈ alkyl optionally substituted with OH, C₁₋₆ alkoxy which can be substituted with OH, a 5-, or 6-membered aromatic heterocyclic moiety having one to three atoms selected from the group consisting of S, N, and O, phenyl optionally substituted with OH, CF₃, halo, -NO₂, C₁₋₄ alkoxy, -NR₈₃R₈₄, or



;

5


f)



,or

10

g)



;

R_{83} and R_{84} at each occurrence are the same or different and are

- a) H, or
- b) C_{1-4} alkyl;

15 R_{85} is

- a) OH,
- b) C_{1-4} alkoxy, or
- c) $-NR_{88} R_{89}$;

 R_{86} is

20

- a) H, or
- b) C_{1-7} alkyl optionally substituted with indolyl, OH, mercaptyl, imidazolyl, methylthio, amino, phenyl optionally substituted with OH, $-C(=O)-NH_2$, $-CO_2H$, or $-C(=NH)-NH_2$;

 R_{87} is

25

- a) H,
- b) phenyl, or
- c) C_{1-6} alkyl optionally substituted by OH;

R_{88} and R_{89} at each occurrence are the same or different and are

- a) H,
- b) C_{1-5} alkyl
- c) C_{3-6} cycloalkyl, or
- d) phenyl;


30

 R_{90} is

- a) C_{1-8} alkyl optionally substituted with C_{1-6} alkoxy or C_{1-6} hydroxy,

C₃₋₆ cycloalkyl, a 6-membered aromatic optionally benzo-fused heterocyclic moiety having one to three nitrogen atoms, which can in turn be substituted with one or two -NO₂, CF₃, halo, -CN, OH, C₁₋₅ alkyl, C₁₋₅ alkoxy, or C₁₋₅ acyl;

5 b)



c) phenyl, or

d) pyridyl;

10 R₉₁ is

a) C₁₋₁₆ alkyl,

b) C₂₋₁₆ alkenyl,

wherein the substituents (a) and (b) can be optionally substituted with C₁₋₆ alkoxy, carbonyl, or a 5-, 6-, 7-membered aromatic heterocyclic moiety having one to three atoms selected from the group consisting of S, N, and O,

15

c) an aryl having 6 to 10 carbon atoms, or

d) a 5-, 6-, 7-membered aromatic heterocyclic moiety having one to three atoms selected from the group consisting of S, N, and O, wherein the substituents (c) and (d) can be optionally substituted with carboxyl, halo, -CN, formyl, CF₃, -NO₂, C₁₋₆ alkyl, C₁₋₆ alkoxy, C₁₋₆ acyl, C₁₋₆ alkylthio, or C₁₋₆ alkoxy, carbonyl;

20

R₉₂ and R₉₃ at each occurrence are the same or different and are

a) H,

25

b) phenyl,

c) C₁₋₆ alkyl, or

d) benzyl;

R¹⁰² is

a) H-,

30





b) CH₃-,


c) phenyl-CH₂-, or

d) CH₃C(O)-;

R¹⁰³ is


a) (C₁-C₃)alkyl-, or

- b) phenyl-;
- R^{104} is
- a) H-, or
- b) HO-;
- 5 R^{106} is
- a) $CH_3-C(O)-$,
- b) $H-C(O)-$,
- c) $Cl_2CH-C(O)-$,
- d) $HOCH_2-C(O)-$,
- 10 e) CH_3SO_2- ,
- g)  ,
- g) $F_2CHC(O)-$,
- 15 i)  ,
- i) $H_3C-C(O)-O-CH_2-C(O)-$,
- j) $H-C(O)-O-CH_2-C(O)-$,
- 20 l)  ,
- l) $HC\equiv C-CH_2O-CH_2-C(O)-$,
- m) phenyl- $CH_2-O-CH_2-C(O)-$,
- 25 o) $C_{1-4}alkyl-NH-C(S)-$, or
- p) $C_{1-4}alkyl$ optionally substituted with one or more halo, CN, NO_2 , OH, SH, or NH_2 ;
- R^{107} is
- a) $R^{102}O-C(R^{110})(R^{111})-C(O)-$,
- 30 b) $R^{103}O-C(O)-$,
- c) $R^{108}-C(O)-$,
- f)  ,



5 f) $\text{H}_3\text{C}-\text{C}(\text{O})-(\text{CH}_2)_2-\text{C}(\text{O})-$,

g) $\text{R}^{109}-\text{SO}_2-$,



10

i) $\text{HO}-\text{CH}_2-\text{C}(\text{O})-$,

j) $\text{R}^{116}-(\text{CH}_2)_2-$,

k) $\text{R}^{113}-\text{C}(\text{O})-\text{O}-\text{CH}_2-\text{C}(\text{O})-$,

l) $(\text{CH}_3)_2\text{N}-\text{CH}_2-\text{C}(\text{O})-\text{NH}-$,

15

m) $\text{NC}-\text{CH}_2-$,

n) $\text{F}_2-\text{CH}-\text{CH}_2-$, or

o) $\text{R}^{150}\text{R}^{151}\text{NSO}_2$

R^{108} is

a) $\text{H}-$,

20

b) $(\text{C}_1-\text{C}_4)\text{alkyl}$,

c) $\text{aryl}-(\text{CH}_2)_n$,

d) $\text{ClH}_2\text{C}-$,

e) $\text{Cl}_2\text{HC}-$,

f) $\text{FH}_2\text{C}-$,

25

g) $\text{F}_2\text{HC}-$,

h) $(\text{C}_3-\text{C}_6)\text{cycloalkyl}$, or

i) CNCH_2- .

R^{109} is

a) $\text{C}_1-\text{C}_4\text{alkyl}$,

30

b) $-\text{CH}_2\text{Cl}$

c) $-\text{CH}_2\text{CH}=\text{CH}_2$,

d) aryl , or

e) $-\text{CH}_2\text{CN}$;

R^{110} and R^{111} are independently

- a) H-,
b) CH₃-; or
R¹¹² is
- 5 a) H-,
b) CH₃O-CH₂O-CH₂-, or
c) HOCH₂-;
R¹¹³ is
- 10 a) CH₃-,
b) HOCH₂-,
c) (CH₃)₂N-phenyl, or
d) (CH₃)₂N-CH₂-;
R¹¹⁴ is
- 15 a) HO-,
b) CH₃O-,
c) H₂N-,
d) CH₃O-C(O)-O-,
e) CH₃-C(O)-O-CH₂-C(O)-O-,
f) phenyl-CH₂-O-CH₂-C(O)-O-,
g) HO-(CH₂)₂-O-,
20 h) CH₃O-CH₂-O-(CH₂)₂-O-, or
i) CH₃O-CH₂-O-;
R¹¹⁵ is
- a) H-, or
b) Cl-;
25 R¹¹⁶ is
- a) HO-
b) CH₃O-, or
c) F-;
- Each of R₁₁₇, R₁₁₈, R₁₁₉, and R₁₂₀ is independently selected from
- 30 a) H,
b) C₁-C₆alkyl,
c) substituted alkyl,
d) halo, or
e) R₁₁₇ and R₁₁₈ or R₁₁₉ and R₁₂₀ together are =O;

R^{150} and R^{151} are each independently

- a) H,
- b) C_1 - C_4 alkyl, or
- c) R^{150} and R^{151} taken together with the nitrogen atom, to which R^{150} and R^{151}

5 are attached, form a monocyclic heterocyclic ring having from 3 to 6 carbon atoms;

Each R_{300} , R_{301} , R_{302} , R_{303} , R_{304} , R_{305} , and R_{306} is independently selected from

- a) H,
- b) C_{3-6} cycloalkyl optionally substituted with =O,
- c) C_{1-6} alkoxy,
- 10 d) C_{1-10} alkyl optionally substituted with one or more of R_{310} ,
- e) C_{2-10} alkenyl optionally substituted with one or more of R_{310} ,
- f) benzyloxycarbonyl,
- g) aryl,
- h) het,
- 15 i) $-C(O)-NR_{311}R_{312}$,
- j) $-S(O)_2-NR_{311}R_{312}$,
- k) $-(O)_iSR_{311}$,
- l) $-C(O)-R_{310}$,
- m) $-C(S)-NR_{311}R_{312}$,
- 20 n) $-C(O)-H$, or
- o) $-C(O)-C_{1-4}$ alkyl optionally substituted with one or more of R_{310} ;

Each R_{307} is independently selected from

- a) H,
- b) C_{3-6} cycloalkyl optionally substituted with =O,
- 25 c) C_{1-6} alkoxy,
- d) C_{1-10} alkyl optionally substituted with one or more of R_{310} ,
- e) C_{2-10} alkenyl optionally substituted with one or more of R_{310} ,
- f) benzyloxycarbonyl,
- g) aryl,
- 30 h) het,
- i) $-C(O)-NR_{311}R_{312}$,
- j) $-S(O)_2-NR_{311}R_{312}$,
- k) $-(O)_iSR_{311}$,
- l) $-C(O)-R_{310}$,

- m) $-\text{C}(\text{S})-\text{NR}_{311}\text{R}_{312}$,
- n) $-\text{C}(\text{O})-\text{H}$,
- o) $-\text{C}(\text{O})-\text{C}_{1-4}\text{alkyl}$ optionally substituted with one or more of R_{310} , or
- p) $-\text{C}(\text{N}-\text{O}-\text{C}_{1-4}\text{alkyl})-$;

5 R_{308} and R_{309} are H or both R_{308} and R_{309} together form $=\text{O}$ or $=\text{S}$;

R_{310} is

- a) $-\text{CN}$,
- b) $-\text{N}_3$,
- c) $-\text{CF}_3$,
- 10 d) pyridyl,
- e) halo,
- f) $-\text{OH}$,
- g) $-\text{O}(\text{O})\text{C}_1-\text{C}_6\text{alkyl}$,
- h) $-\text{C}_{1-6}\text{alkyloxycarbonyl}$,
- 15 i) $-\text{SH}$,
- j) $-\text{NH}_2$;

Each R_{311} and R_{312} is independently selected from

- a) H,
- b) $\text{C}_{1-4}\text{alkyl}$,
- 20 c) phenyl, or
- d) R_{311} and R_{312} together with the N-atom to which they are attached

forms a 5- or 6- membered, saturated heterocyclic ring optionally having one or more O, S, or N atoms in the ring, the heterocyclic ring being optionally substituted with $\text{C}_{1-3}\text{alkyl}$;

25 R_{315} is

- a) H,
- b) $\text{C}_{1-4}\text{alkyl}$ optionally substituted with halo, $-\text{OH}$, $\text{C}_{1-8}\text{alkoxy}$, amino, $\text{C}_{1-8}\text{alkylamino}$, or $\text{C}_{1-8}\text{dialkylamino}$,
- c) aryl- $\text{S}(\text{O})_2-$,
- 30 d) $\text{C}(=\text{O})\text{C}_{1-4}\text{alkyl}$,
- e) $\text{C}(=\text{O})\text{OC}_{1-4}\text{alkyl}$,
- f) $\text{C}(=\text{O})\text{NHR}_{320}$,
- g) $\text{C}(=\text{S})\text{NHR}_{320}$,
- h) $-\text{OC}(=\text{O})\text{C}_{1-4}\text{alkyl}$,

- i) $-S(O)_iC_{1-4}alkyl$,
- j) $C_{1-4} alkyl-O-C_{1-4} alkyl$, or
- k) $C_{1-4} alkyl-S-C_{1-4} alkyl$;

R_{320} is independently selected from

- 5 a) H, or
- b) substituted alkyl;

Each R_{325} , R_{326} , R_{327} , and R_{328} is independently selected from

- a) H,
- b) C_1-C_6alkyl ,
- 10 c) substituted alkyl,
- d) halo, or
- e) R_{325} and R_{326} or R_{327} and R_{328} together are $=O$, $=S$, or $=N-R_{332}$, or
- f) one of R_{325} or R_{326} and R_{303} , when Z_4 is $-N(R_{303})-$, together with the

carbon and nitrogen atoms to which they are bound form a 5-7 membered het

- 15 containing one or more heteroatoms selected from O, S, or N, the het being optionally substituted with one or more of R_2 , $=O$, or $=S$;

R_{330} is

- a) H, or
- b) alkyl, or
- 20 c) substituted alkyl;

R_{331} is

- a) R_{332} ,
- b) Cl,
- c) NH_2 ,
- 25 d) OH,
- e) NHC_1-C_4alkyl , or
- f) R_{315} ;

R_{332} is

- a) H,
- 30 b) C_1-C_4alkyl ,
- c) OC_1-C_4alkyl ,
- d) SC_1-C_4alkyl , or
- e) NHC_1-C_4alkyl ;

R_{333} is

a) F, or

b) R_{332} ;

R_{500} and R_{503} are each and independently

- 5 (a) H,
 (b) halo,
 (c) C_1 - C_8 alkyl,
 (d) C_3 - C_6 cycloalkyl,
 (e) $-(CH_2)_i-OR_{511}$, or
 (f) $-C(=O)-R_{541}$;

10 R_{501} and R_{502} are each and independently

- (a) hydrogen atom,
 (b) C_1 - C_8 alkyl,
 (c) C_1 - C_8 alkoxy,
 (d) C_1 - C_8 alkylthio,
 15 (e) $-(CH_2)_i-OR_{551}$,
 (f) $-O-(CH_2)_i-OR_{551}$,
 (g) $-NR_{542}R_{552}$,
 (h) $-C(=O)-NR_{542}R_{552}$,
 (i) $-(CH_2)_i-C(=O)-R_{541}$,

20 or R_{501} and R_{502} together form

- (j) $=O$,
 (k) $=NR_{543}$,
 (l) $=S$,
 (m) $=CR_{544}R_{554}$, or
 25 (n) an unsaturated or saturated 5- or 6-membered hetero ring having 1-3
 hetero atoms selected from the group consisting of a nitrogen atom, an
 oxygen atom and a sulfur atom;

R_{511} and R_{512} are each and independently

- (a) hydrogen atom,
 30 (b) C_1 - C_8 alkyl;

R_{541} is

- (a) hydrogen atom,
 (b) $-(CH_2)_m-OH$,

- (c) C_1-C_8 alkyl,
- (d) C_1-C_8 alkoxy, or
- (e) $-O-CH_2-O-C(=O)-R_{511}$;

R_{542} and R_{552} are each and independently

- 5 (a) hydrogen atom,
- (b) $-(CH_2)_i-OH$,
- (c) C_1-C_8 alkyl,
- (d) $-C(=O)-R_{541}$,
- (e) $-C(=O)-NR_{511}R_{512}$,
- 10 (f) $-(CH_2)_q$ -phenyl, or

or R_{542} and R_{552} together form a pyrrolidino group, a piperidino group, a piperazino group, a morpholino group, or a thiomorpholino group, each of which may be substituted by C_1-C_8 alkyl or $-(CH_2)_i-OH$;

R_{543} is


- 15 (a) H,
- (b) $-OR_{551}$,
- (c) C_1-C_8 alkyl,
- (d) C_1-C_8 alkoxy,
- (e) $-(CH_2)_q$ -phenyl,
- 20 (f) $-NR_{542}R_{552}$,
- (g) $-NH-C(=NH)-NH_2$, or
- (h) [1,2,4]triazol-4-yl;

R_{544} and R_{554} are each and independently

- (a) H,
- 25 (b) C_1-C_8 alkyl,
- (c) $-C(=O)-R_{541}$, or
- (d) $-(CH_2)_q$ -phenyl;

R_{551} is

- (a) H,
- 30 (b) C_1-C_8 alkyl,
- (c) C_1-C_8 alkyl substituted with 1-3 halo,
- (d) $-(CH_2)_i-OR_{511}$,
- (e) $-(CH_2)_i-C(=O)-R_{541}$, or



R_{600} is

- 5
- a) H,
 - b) $\text{C}_1\text{-C}_4\text{alkyl}$
 - c) het,
 - d) $(\text{CH}_2)_b\text{C}(\text{O})\text{OC}_1\text{-C}_4\text{alkyl}$,
 - e) $(\text{CH}_2)_b\text{C}(\text{O})\text{C}_1\text{-C}_4\text{alkyl}$, or
 - f) aryl;

R_{601} and R_{602} are each independently

- 10
- a) H,
 - b) $\text{C}_1\text{-C}_4\text{alkyl}$,
 - c) het,
 - d) $\text{C}_3\text{-C}_6\text{cycloalkyl}$,
 - e) aryl,
 - 15 f) $\text{OC}_1\text{-C}_4\text{alkyl}$,
 - g) $\text{C}(\text{O})\text{OC}_1\text{-C}_4\text{alkyl}$; or
 - h) R_{601} and R_{602} taken together along with the carbon atom to which they attach form a $\text{C}_3\text{-C}_6\text{cycloalkyl}$;

Each R_{700} , R_{701} , R_{702} , R_{703} , R_{704} , and R_{705} is independently selected from

- 20
- a) H,
 - b) C_{1-4} alkyl optionally substituted with 1-3 halo, $=\text{O}$, $=\text{S}$, $-\text{OH}$
 - c) $\text{C}(\text{O})\text{NH}_2$,
 - d) $-\text{CN}$,
 - e) aryl,
 - 25 f) substituted aryl,
 - g) het,
 - h) substituted het,
 - i) $\text{C}(\text{O})\text{OH}$,
 - j) $\text{C}(\text{O})\text{OC}_{1-4}$ alkyl, or
 - 30 k) R_{700} and R_{701} form $=\text{O}$ or $=\text{S}$, or
 - l) R_{702} and R_{703} form $=\text{O}$ or $=\text{S}$, or
 - m) R_{704} and R_{705} form $=\text{O}$ or $=\text{S}$;

a is 1 or 2;

b is 0 or 1;

h is 1, 2, or 3;

i is 0, 1, or 2;

j is 0 or 1;

k is 3, 4, or 5;

5 l is 2 or 3;

m is 2, 3, 4 or 5;

n is 0, 1, 2, 3, 4, or 5;

p is 0, 1, 2, 3, 4, or 5; with the proviso that n and p together are 1, 2, 3, 4, or 5;

q is 1, 2, 3, or 4;


10 t is 0, 1, 2, 3, 4, 5, or 6; and

w is 0, 1, 2, or 3.


21. The compound of claim 20, wherein each R_2 is independently selected from H, F, Cl, Br, CN, NH_2 , NO_2 , CF_3 , and CH_3 .

15

22. The compound of claim 20, wherein the structure of A is



23. The compound of claim 22, wherein the structure of A is



20

24. The compound of claim 20, wherein R_1 is H, $-NH_2$, $-OH$, C_{1-4} alkyl, C_{3-5} cycloalkyl, C_{1-4} alkoxy, or C_{2-4} alkenyl, the alkyl and alkoxy each optionally being substituted with one or more halo, $-OH$, $-CN$.


25

25. The compound of claim 24, wherein R_1 is H, $-OH$, $-CH_2-CH=CH_2$, methyl, ethyl, propyl, $-CH_2-CH_2F$, $-CH_2-CH_2OH$, or methoxy.


26. The compound of claim 20, wherein B is



5




27. The compound of claim 26, wherein B is selected from




5

28. The compound of claim 20, wherein B is




10

29. The compound of claim 20, wherein B is




5


30. The compound of claim 20, wherein B is



- 10 31. The compound of claim 20, wherein B is




32. The compound of claim 20, wherein B is




15


33. The compound of claim 20 wherein B is



34. The compound of claim 20, wherein B is




35. The compound of claim 20, wherein B is




5

36. The compound of claim 20, wherein B is




37. The compound of claim 20, wherein B is




10

38. The compound of claim 20, wherein B is




15

39. The compound of claim 20, wherein B is




40. The compound of claim 20, wherein B is



5

41. The compound of claim 20 wherein B and one R₂ form




10

42. The compound of claim 40, wherein B and one R₂ form $-\text{S}-\text{C}(\text{O})-\text{N}(\text{R}_{300})-$, $-\text{O}-\text{C}(\text{O})-\text{N}(\text{R}_{300})-$, $-\text{N}(\text{R}_{106})-\text{HCR}_{30}-\text{CH}_2-$, $-\text{NR}_{300}-\text{C}(\text{O})-\text{C}(\text{R}_{327}\text{R}_{328})-\text{O}-$, $-\text{NR}_{300}-\text{C}(\text{O})-\text{C}(\text{R}_{327}\text{R}_{328})-\text{S}-$, $-\text{NR}_{300}-\text{C}(\text{S})-\text{C}(\text{R}_{327}\text{R}_{328})-\text{S}-$, $-\text{NR}_{300}-\text{C}(\text{O})-\text{C}(\text{R}_{327}\text{R}_{328})-\text{CH}_2-$, $-\text{CH}_2-\text{CH}_2-\text{NR}_{107}-\text{CH}_2-\text{CH}_2-$, or $-\text{CH}_2-\text{NR}_{107}-\text{CH}_2-\text{CH}_2-\text{CH}_2-$.

15

43. The compound of claim 40, wherein B and one R₂ form



44. The compound of claim 43, wherein D_1 is S.


5

45. The compound of claim 43, wherein D_1 is O.


46. The compound of claim 43, wherein R_{300} is C_{1-4} alkyl.

10 47. The compound of claim 46, wherein R_{300} is methyl, ethyl, or isopropyl.


48. The compound of claim 41, wherein B and one R_2 form




15 49. The compound of claim 41, wherein B and one R_2 form



50. The compound of claim 41, wherein B and one R_2 form




20 51. The compound of claim 41, wherein B and one R_2 form



52. The compound claim 20, wherein one R_2 is hydrogen and the other R_2 is F.

5 53. The compound of claim 20, wherein both R_2 substituents are F.

54. The compound of claim 20, wherein B and one of R_2 form



- 10 55. A compound selected from
 (5R)-(-)-3-[3-Fluoro-4-(4-morpholinyl)phenyl]-2-oxo-5-oxazolidinecarboxamide;
 (5R)-(-)-3-[3-Fluoro-4-(4-morpholinyl)phenyl]-N-methyl-2-oxo-5-oxazolidinecarboxamide;
 (5R)-(-)-3-[3-Fluoro-4-(4-morpholinyl)phenyl]-N-allyl-2-oxo-5-oxazolidinecarboxamide;
 15 (5R)-(-)-3-[3-Fluoro-4-(4-morpholinyl)phenyl]-N-propyl-2-oxo-5-oxazolidinecarboxamide;
 (5R)-(-)-3-[3-Fluoro-4-(4-morpholinyl)phenyl]-N-methoxy-2-oxo-5-oxazolidinecarboxamide;
 20 (5R)-(-)-N-Methyl-3-[3,5-difluoro-4-(4-morpholinyl)phenyl]-2-oxo-5-oxazolidinecarboxamide;
 (5R)-(-)-3-[3-Fluoro-4-(4-morpholinyl)phenyl]-N-hydroxy-2-oxo-5-oxazolidinecarboxamide; and
 (5R)-(-)-3-[3,5-Difluoro-4-(4-morpholinyl)phenyl]-2-oxo-5-oxazolidinecarboxamide.

25

56. A compound selected from

(5R)-(-)-3-[4-(3-Pyridyl)-3-fluorophenyl]-2-oxo-5-oxazolidinecarboxamide; and
 (5R)-(-)-3-[4-(4-Pyridyl)-3-fluorophenyl]-2-oxo-5-oxazolidinecarboxamide.

57. A compound selected from

- 5 (5R)-(-)-3-[4-(3,6-Dihydro-2H-pyran-4-yl)-3-fluorophenyl]-2-oxo-5-oxazolidinecarboxamide; and
 (5R)-(-)-3-[4-(Tetrahydro-2H-pyran-4-yl)-3-fluorophenyl]-2-oxo-5-oxazolidinecarboxamide.

10 58. A compound selected from

- (5R)-3-[4-(3,6-Dihydro-2H-thiopyran-4-yl)-3-fluorophenyl]-2-oxo-5-oxazolidinecarboxamide S-oxide;
 (5R)-(-)-3-[4-(3,6-Dihydro-2H-thiopyran-4-yl)-3-fluorophenyl]-2-oxo-5-oxazolidinecarboxamide S,S-dioxide;
 15 (5R)-(-)-3-[4-(Tetrahydro-2H-thiopyran-4-yl)-3-fluorophenyl]-2-oxo-5-oxazolidinecarboxamide S,S-dioxide;
 (5R)-3-[3-Fluoro-4-(*cis*-tetrahydro-1-oxido-2H-thiopyran-4-yl)phenyl]-2-oxo-5-oxazolidinecarboxamide;
 (5R)-3-[3-Fluoro-4-(*trans*-tetrahydro-1-oxido-2H-thiopyran-4-yl)phenyl]-2-oxo-5-oxazolidinecarboxamide;
 20 (5R)-(-)-3-[4-(tetrahydro-2H-thiopyran-4-yl)phenyl]-2-oxo-5-oxazolidinecarboxamide S,S-dioxide;
 (5R)-3-[4-(*cis*-tetrahydro-1-oxido-2H-thiopyran-4-yl)phenyl]-2-oxo-5-oxazolidinecarboxamide;
 25 (5R)-3-[4-(*trans*-tetrahydro-1-oxido-2H-thiopyran-4-yl)phenyl]-2-oxo-5-oxazolidinecarboxamide;
 (5R)-(-)-N-Methyl-3-[4-(Tetrahydro-2H-thiopyran-4-yl)-3-fluorophenyl]-2-oxo-5-oxazolidinecarboxamide S,S-dioxide;
 (5R)-3-[3,5-Difluoro-4-(Tetrahydro-2H-thiopyran-4-yl)phenyl]-2-oxo-5-oxazolidinecarboxamide S,S-dioxide;
 30 (5R)-(-)-3-[3,5-Difluoro-4-(*cis*-tetrahydro-1-oxido-2H-thiopyran-4-yl)phenyl]-2-oxo-5-oxazolidinecarboxamide;
 (5R)-(-)-3-[3,5-Difluoro-4-(*trans*-tetrahydro-1-oxido-2H-thiopyran-4-yl)phenyl]-2-oxo-5-oxazolidinecarboxamide;

- (5R)-N-Methyl-3-[3,5-difluoro-4-(*trans*-tetrahydro-1-oxido-2H-thiopyran-4-yl)phenyl]-2-oxo-5-oxazolidinecarboxamide;
- (5R)-3-[4-(*cis*-1-(methylimino)-1-oxido-1,1,3,4,5,6-hexahydro-2H-thiopyran-4-yl)-3-fluorophenyl]-2-oxo-5-oxazolidinecarboxamide;
- 5 (5R)-N-Methyl-3-[4-(*cis*-1-imino-1-oxido-1,1,3,4,5,6-hexahydro-2H-thiopyran-4-yl)-3-fluorophenyl]-2-oxo-5-oxazolidinecarboxamide;
- (5R)-3-[4-(*cis*-1-Imino-1-oxido-1,1,3,4,5,6-hexahydro-2H-thiopyran-4-yl)-3-fluorophenyl]-2-oxo-5-oxazolidinecarboxamide;
- (5R)-N-Methyl-3-[4-(*cis*-1-(methylimino)-1-oxido-1,1,3,4,5,6-hexahydro-2H-thiopyran-4-yl)-3-fluorophenyl]-2-oxo-5-oxazolidinecarboxamide;
- 10 (5R)-3-[4-(*trans*-1-(imino)-1-oxido-1,1,3,4,5,6-hexahydro-2H-thiopyran-4-yl)-3-fluorophenyl]-2-oxo-5-oxazolidinecarboxamide;
- (5R)-N-Methyl-3-[4-(*trans*-1-(imino)-1-oxido-1,1,3,4,5,6-hexahydro-2H-thiopyran-4-yl)-3-fluorophenyl]-2-oxo-5-oxazolidinecarboxamide;
- 15 (5R)-3-[4-(*trans*-1-(methylimino)-1-oxido-1,1,3,4,5,6-hexahydro-2H-thiopyran-4-yl)-3-fluorophenyl]-2-oxo-5-oxazolidinecarboxamide;
- (5R)-N-Methyl-3-[4-(*trans*-1-(methylimino)-1-oxido-1,1,3,4,5,6-hexahydro-2H-thiopyran-4-yl)-3-fluorophenyl]-2-oxo-5-oxazolidinecarboxamide;
- (5R)-3-[4-(3,6-Dihydro-2H-thiopyran-4-yl)-3,5-difluorophenyl]-N-methyl-2-oxo-5-oxazolidinecarboxamide S,S-dioxide;
- 20 (5R)-3-[4-(3,6-Dihydro-2H-thiopyran-4-yl)-3,5-difluorophenyl]-2-oxo-5-oxazolidinecarboxamide S,S-dioxide; and
- (5R)-N-Methyl-3-[3-fluoro-4-(*trans*-tetrahydro-1-oxido-2H-thiopyran-4-yl)phenyl]-2-oxo-5-oxazolidinecarboxamide.
- 25
59. The compound (5R)-(-)-3-[3-Fluoro-4-[4-(hydroxyacetyl)-1-piperazinyl]phenyl]-2-oxo-5-oxazolidinecarboxamide.
60. A compound selected from
- 30 (5R)-(-)-3-[4-(Thiomorpholin-4-yl)-3,5-difluorophenyl]-2-oxo-5-oxazolidinecarboxamide S,S-dioxide;
- (5R)-(-)-3-[4-(Thiomorpholin-4-yl)phenyl]-2-oxo-5-oxazolidinecarboxamide S,S-dioxide;

- (5R)-(-)-3-[3-Fluoro-4-(thiomorpholin-4-yl)phenyl]-2-oxo-5-oxazolidinecarboxamide
S,S-dioxide;
- (5R)-(-)-3-[3-Fluoro-4-(thiomorpholin-4-yl)phenyl]-2-oxo-5-oxazolidinecarboxamide
S-oxide;
- 5 (5R)-3-[3-Fluoro-4-(1-imino-1-oxido-4-thiomorpholinyl)phenyl]-2-oxo-5-
oxazolidinecarboxamide;
- (5R)-N-Methyl-3-[3-Fluoro-4-(1-imino-1-oxido-4-thiomorpholinyl)phenyl]-2-oxo-5-
oxazolidinecarboxamide;
- (5R)-3-[3-Fluoro-4-(1-methylimino-1-oxido-4-thiomorpholinyl)phenyl]-2-oxo-5-
10 oxazolidinecarboxamide;
- (5R)-N-Methyl-3-[3-Fluoro-4-(1-methylimino-1-oxido-4-thiomorpholinyl)phenyl]-2-
oxo-5-oxazolidinecarboxamide;
- (5R)-3-[3,5-Difluoro-4-(1-imino-1-oxido-4-thiomorpholinyl)phenyl]-2-oxo-5-
oxazolidinecarboxamide;
- 15 (5R)-N-Methyl-3-[3,5-Difluoro-4-(1-imino-1-oxido-4-thiomorpholinyl)phenyl]-2-
oxo-5-oxazolidinecarboxamide;
- (5R)-3-[3,5-Difluoro-4-(1-methylimino-1-oxido-4-thiomorpholinyl)phenyl]-2-oxo-5-
oxazolidinecarboxamide;
- (5R)-N-Methyl-3-[3,5-Difluoro-4-(1-methylimino-1-oxido-4-
20 thiomorpholinyl)phenyl]-2-oxo-5-oxazolidinecarboxamide;
- (5R)-(-)-3-[3,5-Difluoro-4-(thiomorpholin-4-yl)phenyl]-2-oxo-5-
oxazolidinecarboxamide S-oxide;
- (5R)-(-)-N-Methyl-3-[3,5-difluoro-4-(thiomorpholin-4-yl)phenyl]-2-oxo-5-
oxazolidinecarboxamide S-oxide; and
- 25 (5R)-(-)-N-Methyl-3-[3,5-difluoro-4-(thiomorpholin-4-yl)phenyl]-2-oxo-5-
oxazolidinecarboxamide S,S-dioxide.
61. A compound selected from
- (5R)-(-)-3-(2,3-Dihydro-3-methyl-2-oxo-6-benzothiazolyl)-2-oxo-5-
30 oxazolidinecarboxamide;
- (5R)-(-)-3-(2,3-Dihydro-3-ethyl-2-oxo-6-benzothiazolyl)-2-oxo-5-
oxazolidinecarboxamide;
- (5R)-(-)-3-(2,3-Dihydro-3-isopropyl-2-oxo-6-benzothiazolyl)-2-oxo-5-
oxazolidinecarboxamide;

- (5R)-(-)- N-Methyl-3-(2,3-dihydro-3-methyl-2-oxo-6-benzothiazolyl)-2-oxo-5-oxazolidinecarboxamide;
- (5R)-(-)- N-Ethyl-3-(2,3-dihydro-3-methyl-2-oxo-6-benzothiazolyl)-2-oxo-5-oxazolidinecarboxamide;
- 5 (5R)-(-)- N-(2-Hydroxyethyl)-3-(2,3-dihydro-3-methyl-2-oxo-6-benzothiazolyl)-2-oxo-5-oxazolidinecarboxamide;
- (5R)-N-(2-Fluoroethyl)-3-(2,3-dihydro-3-methyl-2-oxo-6-benzothiazolyl)-2-oxo-5-oxazolidinecarboxamide;
- (5R)-(-)- N-Methyl-3-(2,3-dihydro-3-ethyl-2-oxo-6-benzothiazolyl)-2-oxo-5-oxazolidinecarboxamide;
- 10 (5R)-(-)- N-Methyl-3-(2,3-dihydro-3-isopropyl-2-oxo-6-benzothiazolyl)-2-oxo-5-oxazolidinecarboxamide;
- (5R)-3-(2,3-Dihydro-3-methyl-4-fluoro-2-oxo-6-benzothiazolyl)-2-oxo-5-oxazolidinecarboxamide;
- 15 (5R)-N-Methyl-3-(2,3-dihydro-3-methyl-4-fluoro-2-oxo-6-benzothiazolyl)-2-oxo-5-oxazolidinecarboxamide;
- (5R)-3-(2,3-Dihydro-3-ethyl-4-fluoro-2-oxo-6-benzothiazolyl)-2-oxo-5-oxazolidinecarboxamide;
- (5R)-N-Methyl-3-(2,3-dihydro-3-ethyl-4-fluoro-2-oxo-6-benzothiazolyl)-2-oxo-5-oxazolidinecarboxamide;
- 20 (5R)-3-(2,3-Dihydro-3-isopropyl-4-fluoro-2-oxo-6-benzothiazolyl)-2-oxo-5-oxazolidinecarboxamide; and
- (5R)-N-Methyl-3-(2,3-dihydro-3-isopropyl-4-fluoro-2-oxo-6-benzothiazolyl)-2-oxo-5-oxazolidinecarboxamide.

25

62. A compound selected from

- (5R)-(-)-3-(2,3-dihydro-3-methyl-2-oxo-6-benzoxazolyl)-2-oxo-5-oxazolidinecarboxamide;
- (5R)-(-)-3-(2,3-Dihydro-3-ethyl-2-oxo-6-benzoxazolyl)-2-oxo-5-oxazolidinecarboxamide;
- 30 (5R)-(-)-3-(2,3-Dihydro-3-isopropyl-2-oxo-6-benzoxazolyl)-2-oxo-5-oxazolidinecarboxamide;
- (5R)-(-)-N-Methyl-3-(2,3-dihydro-3-methyl-2-oxo-6-benzoxazolyl)-2-oxo-5-oxazolidinecarboxamide;

- (5R)-(-)-N-Methyl-3-(2,3-dihydro-3-ethyl-2-oxo-6-benzoxazolyl)-2-oxo-5-oxazolidinecarboxamide;
- (5R)-(-)-N-Methyl-3-(2,3-dihydro-3-isopropyl-2-oxo-6-benzoxazolyl)-2-oxo-5-oxazolidinecarboxamide;
- 5 (5R)-3-(2,3-dihydro-3-methyl-4-fluoro-2-oxo-6-benzoxazolyl)-2-oxo-5-oxazolidinecarboxamide;
- (5R)-N-Methyl-3-(2,3-dihydro-3-methyl-4-fluoro-2-oxo-6-benzoxazolyl)-2-oxo-5-oxazolidinecarboxamide;
- (5R)-3-(2,3-dihydro-3-ethyl-4-fluoro-2-oxo-6-benzoxazolyl)-2-oxo-5-oxazolidinecarboxamide;
- 10 (5R)-N-Methyl-3-(2,3-dihydro-3-ethyl-4-fluoro-2-oxo-6-benzoxazolyl)-2-oxo-5-oxazolidinecarboxamide;
- (5R)-3-(2,3-Dihydro-3-isopropyl-4-fluoro-2-oxo-6-benzoxazolyl)-2-oxo-5-oxazolidinecarboxamide; and
- 15 (5R)-N-Methyl-3-(2,3-dihydro-3-isopropyl-4-fluoro-2-oxo-6-benzoxazolyl)-2-oxo-5-oxazolidinecarboxamide.

63. A compound selected from

- (5R)-3-[(2R)-2,3-Dihydro-1-formyl-2-methyl-1H-indol-5-yl]-2-oxo-5-oxazolidinecarboxamide;
- 20 (5R)-3-[(2R)-2,3-Dihydro-1-(hydroxyacetyl)-2-methyl-1H-indol-5-yl]-2-oxo-5-oxazolidinecarboxamide;
- (5R)-3-[4-(5,7-Dihydro-6H-pyrrolo[3,4-b]pyridin-6-yl)-3-fluorophenyl]-2-oxo-5-oxazolidinecarboxamide;
- 25 (5R)-N-Methyl-3-[4-(5,7-dihydro-6H-pyrrolo[3,4-b]pyridin-6-yl)-3-fluorophenyl]-2-oxo-5-oxazolidinecarboxamide;

64. A compound selected from

- (5R)-(-)-3-[3,5-Difluoro-4-(1-methoxycarbonyl-3-methylazetidin-3-yl)phenyl]-2-oxo-5-oxazolidinecarboxamide;
- 30 (5R)-3-[3,5-Difluoro-4-(1-formyl-3-methylazetidin-3-yl)phenyl]-2-oxo-5-oxazolidinecarboxamide;
- (5R)-N-Methyl-3-[3,5-difluoro-4-(1-formyl-3-methylazetidin-3-yl)phenyl]-2-oxo-5-oxazolidinecarboxamide;

(5R)-3-[3-Fluoro-4-(1-formyl-3-methylazetidin-3-yl)phenyl]-2-oxo-5-oxazolidinecarboxamide;

(5R)-N-Methyl-3-[3-fluoro-4-(1-formyl-3-methylazetidin-3-yl)phenyl]-2-oxo-5-oxazolidinecarboxamide; and

- 5 (5R)-(-)-N-Methyl-3-[3,5-difluoro-4-(1-methoxycarbonyl-3-methylazetidin-3-yl)phenyl]-2-oxo-5-oxazolidinecarboxamide.

65. A compound selected from

- 10 (5R)-3-(3,4-Dihydro-4-methyl-3-oxo-2*H*-1,4-benzoxazin-7-yl)-2-oxo-5-oxazolidinecarboxamide;
(5R)-N-Methyl-3-(3,4-dihydro-4-methyl-3-oxo-2*H*-1,4-benzoxazin-7-yl)-2-oxo-5-oxazolidinecarboxamide;
(5R)-N-(2-Fluoroethyl)-3-(3,4-dihydro-4-methyl-3-oxo-2*H*-1,4-benzoxazin-7-yl)-2-oxo-5-oxazolidinecarboxamide;
- 15 (5R)-3-(3,4-Dihydro-4-methyl-3-oxo-2*H*-1,4-benzothiazin-7-yl)-2-oxo-5-oxazolidinecarboxamide;
(5R)-3-(1-Methyl-2-oxo-1,2,3,4-tetrahydroquinolin-6-yl)-2-oxo-5-oxazolidinecarboxamide;
(5R)-N-Methyl-3-(1-methyl-2-oxo-1,2,3,4-tetrahydroquinolin-6-yl)-2-oxo-5-oxazolidinecarboxamide;
- 20 (5R)-3-(2,2-Difluoro-4-methyl-3,4-dihydro-3-oxo-2*H*-1,4-benzoxazin-7-yl)-2-oxo-5-oxazolidinecarboxamide;
(5R)-N-Methyl-3-(2,2-difluoro-4-methyl-3,4-dihydro-3-oxo-2*H*-1,4-benzoxazin-7-yl)-2-oxo-5-oxazolidinecarboxamide;
- 25 (5R)-3-(8-Fluoro-1-methyl-2-oxo-1,2,3,4-tetrahydroquinolin-6-yl)-2-oxo-5-oxazolidinecarboxamide;
(5R)-N-Methyl-3-(8-fluoro-1-methyl-2-oxo-1,2,3,4-tetrahydroquinolin-6-yl)-2-oxo-5-oxazolidinecarboxamide;
- (5R)-3-(4-Methyl-3-thioxo-3,4-dihydro-2*H*-1,4-benzothiazin-7-yl)-2-oxo-5-oxazolidinecarboxamide;
- 30 (5R)-N-Methyl-3-(3,4-dihydro-4-methyl-3-oxo-2*H*-1,4-benzothiazin-7-yl)-2-oxo-5-oxazolidinecarboxamide;
(5R)-3-(3,4-Dihydro-5-fluoro-4-methyl-3-oxo-2*H*-1,4-benzothiazin-7-yl)-2-oxo-5-oxazolidinecarboxamide;

- (5R)-N-Methyl-3-(3,4-dihydro-5-fluoro-4-methyl-3-oxo-2*H*-1,4-benzothiazin-7-yl)-2-oxo-5-oxazolidinecarboxamide;
 (5R)-3-(3,4-Dihydro-5-fluoro-4-methyl-3-oxo-2*H*-1,4-benzoxazin-7-yl)-2-oxo-5-oxazolidinecarboxamide; and
 5 (5R)-N-Methyl-3-(3,4-dihydro-5-fluoro-4-methyl-3-oxo-2*H*-1,4-benzoxazin-7-yl)-2-oxo-5-oxazolidinecarboxamide.

66. A compound selected from
 (5R)-3-[3-Fluoro-4-(5-oxo-5,6-dihydro-4*H*-[1,3,4]thiadiazin-2-yl)phenyl]-2-oxo-5-oxazolidinecarboxamide;
 10 (5R)-3-[4-(1,1-dioxido-2,3-dihydro-4*H*-1,4-thiazin-4-yl)-3,5-difluorophenyl]-2-oxo-5-oxazolidinecarboxamide; and
 (5R)-3-[4-(2,5-Dihydro-1*H*-pyrrol-1-yl)-3,5-difluorophenyl]-2-oxo-5-oxazolidinecarboxamide.

- 15
 67. A compound selected from
 (5R)-3-[4-(4-Oxo-3,4-dihydro-1(2*H*)-pyridinyl)-3-fluorophenyl]-2-oxo-5-oxazolidinecarboxamide;
 (5R)-N-Methyl-3-[4-(4-oxo-3,4-dihydro-1(2*H*)-pyridinyl)-3-fluorophenyl]-2-oxo-5-oxazolidinecarboxamide;
 20 (5R)-N-Ethyl-3-[4-(4-oxo-3,4-dihydro-1(2*H*)-pyridinyl)-3-fluorophenyl]-2-oxo-5-oxazolidinecarboxamide;
 (5R)-3-[4-(4-Oxo-3,4-dihydro-1(2*H*)-pyridinyl)phenyl]-2-oxo-5-oxazolidinecarboxamide;
 25 (5R)-N-Methyl-3-[4-(4-oxo-3,4-dihydro-1(2*H*)-pyridinyl)phenyl]-2-oxo-5-oxazolidinecarboxamide;
 (5R)-N-Ethyl-3-[4-(4-oxo-3,4-dihydro-1(2*H*)-pyridinyl)phenyl]-2-oxo-5-oxazolidinecarboxamide;
 (5R)-N-(2-Fluoroethyl)-3-[4-(4-oxo-3,4-dihydro-1(2*H*)-pyridinyl)phenyl]-2-oxo-5-oxazolidinecarboxamide;
 30 (5R)-3-[4-(4-Oxo-3,4-dihydro-1(2*H*)-pyridinyl)-3,5-difluorophenyl]-2-oxo-5-oxazolidinecarboxamide;
 (5R)-N-Methyl-3-[4-(4-oxo-3,4-dihydro-1(2*H*)-pyridinyl)-3,5-difluorophenyl]-2-oxo-5-oxazolidinecarboxamide;

(5R)-N-Ethyl-3-[4-(4-oxo-3,4-dihydro-1(2*H*)-pyridinyl)-3,5-difluorophenyl]-2-oxo-5-oxazolidinecarboxamide; and

(5R)-3-[4-[3,4-Dihydro-4-(hydroxyimino)-1(2*H*)-pyridinyl]-3-fluorophenyl]-2-oxo-5-oxazolidinecarboxamide.

5

68. A compound selected from

(5R)-3-(2-Formyl-2,3,4,5-tetrahydro-1*H*-2-benzazepin-7-yl)-2-oxo-5-oxazolidinecarboxamide;

(5R)-N-Methyl-3-(2-formyl-2,3,4,5-tetrahydro-1*H*-2-benzazepin-7-yl)-2-oxo-5-oxazolidinecarboxamide;

10

(5R)-3-[2-(Hydroxyacetyl)-2,3,4,5-tetrahydro-1*H*-2-benzazepin-7-yl]-2-oxo-5-oxazolidinecarboxamide;

(5R)-N-Methyl-3-[2-(hydroxyacetyl)-2,3,4,5-tetrahydro-1*H*-2-benzazepin-7-yl]-2-oxo-5-oxazolidinecarboxamide;

15

(5R)-3-(3-Formyl-2,3,4,5-tetrahydro-1*H*-3-benzazepin-7-yl)-2-oxo-5-oxazolidinecarboxamide;

(5R)-N-Methyl-3-(3-formyl-2,3,4,5-tetrahydro-1*H*-3-benzazepin-7-yl)-2-oxo-5-oxazolidinecarboxamide;

(5R)-3-[3-(Hydroxyacetyl)-2,3,4,5-tetrahydro-1*H*-3-benzazepin-7-yl]-2-oxo-5-

20

oxazolidinecarboxamide; and

(5R)-N-Methyl-3-[3-(hydroxyacetyl)-2,3,4,5-tetrahydro-1*H*-3-benzazepin-7-yl]-2-oxo-5-oxazolidinecarboxamide.

69. A compound selected from

25 (5R)-3-[4-(1-(2(*S*)-Hydroxy-3-phosphorylpropanoyl)-1,2,5,6-tetrahydropyrid-4-yl)-3,5-difluorophenyl]-2-oxo-5-oxazolidinecarboxamide;

(5R)-N-Methyl-3-[4-(1-(2(*S*)-hydroxy-3-phosphorylpropanoyl)-1,2,5,6-tetrahydropyrid-4-yl)-3,5-difluorophenyl]-2-oxo-5-oxazolidinecarboxamide;

(5R)-3-[4-(1-(2(*S*),3-Dihydroxypropanoyl)-1,2,5,6-tetrahydropyrid-4-yl)-3,5-difluorophenyl]-2-oxo-5-oxazolidinecarboxamide;

30

(5R)-N-Methyl-3-[4-(1-(2(*S*),3-dihydroxypropanoyl)-1,2,5,6-tetrahydropyrid-4-yl)-3,5-difluorophenyl]-2-oxo-5-oxazolidinecarboxamide;

(5R)-3-[4-(1-(2(*S*)-Hydroxy-3-phosphorylpropanoyl)-1,2,5,6-tetrahydropyrid-4-yl)-3-fluorophenyl]-2-oxo-5-oxazolidinecarboxamide;

- (5R)-N-Methyl-3-[4-(1-(2(S)-hydroxy-3-phosphorylpropanoyl)-1,2,5,6-tetrahydropyrid-4-yl)-3-fluorophenyl]-2-oxo-5-oxazolidinecarboxamide;
 (5R)-3-[4-(1-(2(S),3-Dihydroxypropanoyl)-1,2,5,6-tetrahydropyrid-4-yl)-3-fluorophenyl]-2-oxo-5-oxazolidinecarboxamide; and
 5 (5R)-N-Methyl-3-[4-(1-(2(S),3-dihydroxypropanoyl)-1,2,5,6-tetrahydropyrid-4-yl)-3-fluorophenyl]-2-oxo-5-oxazolidinecarboxamide.
70. A compound selected from
 (5R)-3-[3-Fluoro-4-[6-(1-methyl-1*H*-tetrazol-5-yl)-pyridin-3-yl]-phenyl]-2-oxo-
 10 5-oxazolidinecarboxamide;
 (5R)-N-Methyl-3-[3-Fluoro-4-[6-(1-methyl-1*H*-tetrazol-5-yl)-pyridin-3-yl]-phenyl]-2-oxo-5-oxazolidinecarboxamide;
 (5R)-N-Methyl-3-[3-Fluoro-4-(6-[1,2,4]triazol-1-yl-pyridin-3-yl)-phenyl]-2-oxo-5-oxazolidinecarboxamide;
 15 (5R)-3-[3-Fluoro-4-(6-[1,2,4]triazol-1-yl-pyridin-3-yl)-phenyl]-2-oxo-5-oxazolidinecarboxamide;
 (5R)-3-[3-Fluoro-4-[6-(5-methyl-[1,2,4]oxadiazol-3-yl)-pyridin-3-yl]-phenyl]-2-oxo-5-oxazolidinecarboxamide;
 (5R)-N-Methyl-3-[3-Fluoro-4-[6-(5-methyl-[1,2,4]oxadiazol-3-yl)-pyridin-3-yl]-phenyl]-2-oxo-5-oxazolidinecarboxamide;
 20 (5R)-N-Methyl-3-[3-Fluoro-4-(6-tetrazol-1-yl-pyridin-3-yl)-phenyl]-2-oxo-5-oxazolidinecarboxamide;
 (5R)-3-[3-Fluoro-4-(6-tetrazol-1-yl-pyridin-3-yl)-phenyl]-2-oxo-5-oxazolidinecarboxamide;
 25 (5R)-3-[3-Fluoro-4-(6-pyrazol-1-yl-pyridin-3-yl)-phenyl]-2-oxo-5-oxazolidinecarboxamide;
 (5R)-N-Methyl-3-[3-Fluoro-4-(6-pyrazol-1-yl-pyridin-3-yl)-phenyl]-2-oxo-5-oxazolidinecarboxamide;
 (5R)-3-[3-Fluoro-4-(6-[1,2,3]triazol-1-yl-pyridin-3-yl)-phenyl]-2-oxo-5-oxazolidinecarboxamide;
 30 oxazolidinecarboxamide;
 (5R)-3-[3-Fluoro-4-(6-[1,2,3]triazol-1-yl-pyridin-3-yl)-phenyl]-2-oxo-5-oxazolidinecarboxamide;

- (5R)-3-{3-Fluoro-4-[6-(5-methyl-[1,3,4]oxadiazol-2-yl)-pyridin-3-yl]-phenyl}-2-oxo-5-oxazolidinecarboxamide;
- (5R)-N-Methyl-3-{3-Fluoro-4-[6-(5-methyl-[1,3,4]oxadiazol-2-yl)-pyridin-3-yl]-phenyl}-2-oxo-5-oxazolidinecarboxamide;
- 5 (5R)-N-Methyl-3-{3-Fluoro-4-[6-(2-oxo-oxazolidin-3-yl)-pyridin-3-yl]-phenyl}-2-oxo-5-oxazolidinecarboxamide;
- (5R)-3-{3-Fluoro-4-[6-(2-oxo-oxazolidin-3-yl)-pyridin-3-yl]-phenyl}-2-oxo-5-oxazolidinecarboxamide;
- (5R)-3-{3-Fluoro-4-[6-(2-oxo-imidazolidin-1-yl)-pyridin-3-yl]-phenyl}-2-oxo-5-oxazolidinecarboxamide;
- 10 (5R)-N-Methyl-3-{3-Fluoro-4-[6-(2-oxo-imidazolidin-1-yl)-pyridin-3-yl]-phenyl}-2-oxo-5-oxazolidinecarboxamide;
- (5R)-3-{3-Fluoro-4-(6-oxazol-5-yl-pyridin-3-yl)-phenyl}-2-oxo-5-oxazolidinecarboxamide;
- 15 (5R)-N-Methyl-3-{3-Fluoro-4-(6-oxazol-5-yl-pyridin-3-yl)-phenyl}-2-oxo-5-oxazolidinecarboxamide;
- (5R)-N-Methyl-3-{3-Fluoro-4-(6-[1,2,4]oxadiazol-3-yl-pyridin-3-yl)-phenyl}-2-oxo-5-oxazolidinecarboxamide;
- (5R)-3-{3-Fluoro-4-(6-[1,2,4]oxadiazol-3-yl-pyridin-3-yl)-phenyl}-2-oxo-5-oxazolidinecarboxylicamide;
- 20 (5R)-3-{3-Fluoro-4-[6-(3-methyl-[1,2,4]oxadiazol-5-yl)-pyridin-3-yl]-phenyl}-2-oxo-5-oxazolidinecarboxamide;
- (5R)-N-Methyl-3-{3-Fluoro-4-[6-(3-methyl-[1,2,4]oxadiazol-5-yl)-pyridin-3-yl]-phenyl}-2-oxo-5-oxazolidinecarboxamide;
- 25 (5R)-N-Methyl-3-{3-Fluoro-4-[6-(5-oxo-1,5-dihydro-[1,2,4]triazol-4-yl)-pyridin-3-yl]-phenyl}-2-oxo-5-oxazolidinecarboxamide;
- (5R)-3-{3-Fluoro-4-[6-(5-oxo-1,5-dihydro-[1,2,4]triazol-4-yl)-pyridin-3-yl]-phenyl}-2-oxo-5-oxazolidinecarboxamide;
- (5R)-3-[4-(6-Acetylamino-pyridin-3-yl)-3-fluoro-phenyl]-2-oxo-5-oxazolidinecarboxamide;
- 30 (5R)-3-[4-(6-Acetylamino-pyridin-3-yl)-3-fluoro-phenyl]-2-oxo-5-oxazolidinecarboxamide;

- (5R)-N-Methyl-3-{3-Fluoro-4-[6-(2-hydroxy-acetylamino)-pyridin-3-yl]-phenyl}-2-oxo-5-oxazolidinecarboxamide;
- (5R)-3-{3-Fluoro-4-[6-(2-hydroxy-acetylamino)-pyridin-3-yl]-phenyl}-2-oxo-5-oxazolidinecarboxamide;
- 5 (5R)-3-{3-Fluoro-4-[6-(4-hydroxyacetyl-piperazin-1-yl)-pyridin-3-yl]-phenyl}-2-oxo-5-oxazolidinecarboxamide;
- (5R)-N-Methyl-3-{3-Fluoro-4-[6-(4-hydroxyacetyl-piperazin-1-yl)-pyridin-3-yl]-phenyl}-2-oxo-5-oxazolidinecarboxamide;
- (5R)-3-{4-[6-(4-Cyano-piperazin-1-yl)-pyridin-3-yl]-3-fluoro-phenyl}-2-oxo-5-oxazolidinecarboxamide; or
- 10 (5R)-N-Methyl-3-{4-[6-(4-Cyano-piperazin-1-yl)-pyridin-3-yl]-3-fluoro-phenyl}-2-oxo-5-oxazolidinecarboxamide.
71. A compound selected from
- 15 (5R)-N-Methyl-3-{3-Fluoro-4-[2-(4-hydroxyacetyl-piperazin-1-yl)-pyrimidin-5-yl]-phenyl}-2-oxo-5-oxazolidinecarboxamide;
- (5R)-N-Methyl-3-{3-Fluoro-4-[2-(4-hydroxyacetyl-piperazin-1-yl)-pyrimidin-5-yl]-phenyl}-2-oxo-5-oxazolidinecarboxamide;
- (5R)-N-Methyl-3-{4-[2-(4-Cyano-piperazin-1-yl)-pyrimidin-5-yl]-3-fluoro-phenyl}-2-oxo-5-oxazolidinecarboxamide; or
- 20 (5R)-N-Methyl-3-{4-[2-(4-Cyano-piperazin-1-yl)-pyrimidin-5-yl]-3-fluoro-phenyl}-2-oxo-5-oxazolidinecarboxamide.
72. A compound selected from
- 25 (5R)-3-[3-Fluoro-4-(4-oxo-3,4,5,6-tetrahydro-2H-[1,2']bipyridinyl-5'-yl)-phenyl]-2-oxo-5-oxazolidinecarboxamide;
- (5R)-N-Methyl-3-[3-Fluoro-4-(4-oxo-3,4,5,6-tetrahydro-2H-[1,2']bipyridinyl-5'-yl)-phenyl]-2-oxo-5-oxazolidinecarboxamide;
- (5R)-N-Methyl-3-[3-Fluoro-4-(4-hydroxy-3,4,5,6-tetrahydro-2H-[1,2']bipyridinyl-5'-yl)-phenyl]-2-oxo-5-oxazolidinecarboxamide;
- 30 (5R)-3-[3-Fluoro-4-(4-hydroxy-3,4,5,6-tetrahydro-2H-[1,2']bipyridinyl-5'-yl)-phenyl]-2-oxo-5-oxazolidinecarboxamide;

- (5R)-N-Methyl-3-[3-Fluoro-4-(4-hydroxyimino-3,4,5,6-tetrahydro-2H-[1,2']bipyridinyl-5'-yl)-phenyl]-2-oxo-5-oxazolidinecarboxamide;
 (5R)-3-[3-Fluoro-4-(4-hydroxyimino-3,4,5,6-tetrahydro-2H-[1,2']bipyridinyl-5'-yl)-phenyl]-2-oxo-5-oxazolidinecarboxamide;
- 5 (5R)-N-Methyl-3-[3-Fluoro-4-(1-hydroxyacetyl-1,2,3,6-tetrahydro-pyridin-4-yl)-phenyl]-2-oxo-oxazolidine-5-carboxamide;
 (5R)-3-[3-Fluoro-4-(1-hydroxyacetyl-1,2,3,6-tetrahydro-pyridin-4-yl)-phenyl]-2-oxo-oxazolidine-5-carboxamide;
 (5R)-3-[4-[1-((2S),3-Dihydroxy-propionyl)-1,2,3,6-tetrahydro-pyridin-4-yl]-3-fluoro-phenyl]-2-oxo-5-oxazolidinecarboxamide;
- 10 (5R)-N-Methyl-3-[4-[1-((2S),3-Dihydroxy-propionyl)-1,2,3,6-tetrahydro-pyridin-4-yl]-3-fluoro-phenyl]-2-oxo-5-oxazolidinecarboxamide;
 (5R)-N-Methyl-3-[3-Fluoro-4-(1-methoxyacetyl-1,2,3,6-tetrahydro-pyridin-4-yl)-phenyl]-2-oxo-5-oxazolidinecarboxamide;
- 15 (5R)-3-[3-Fluoro-4-(1-methoxyacetyl-1,2,3,6-tetrahydro-pyridin-4-yl)-phenyl]-2-oxo-5-oxazolidinecarboxamide;
 (5R)-3-[3-Fluoro-4-(1-methylsulfanylacetyl-1,2,3,6-tetrahydro-pyridin-4-yl)-phenyl]-2-oxo-5-oxazolidinecarboxamide;
 (5R)-N-Methyl-3-[3-Fluoro-4-(1-methylsulfanylacetyl-1,2,3,6-tetrahydro-pyridin-4-yl)-phenyl]-2-oxo-5-oxazolidine carboxamide;
- 20 (5R)-N-Methyl-3-[3-Fluoro-4-(1-formyl-1,2,3,6-tetrahydro-pyridin-4-yl)-phenyl]-2-oxo-5-oxazolidinecarboxamide;
 (5R)-3-[3-Fluoro-4-(1-formyl-1,2,3,6-tetrahydro-pyridin-4-yl)-phenyl]-2-oxo-5-oxazolidinecarboxamide; or
- 25 (5R)-N-Methyl-4-[4-(5-Carbamoyl-2-oxo-oxazolidin-3-yl)-2-fluoro-phenyl]-3,6-dihydro-2H-pyridine-1-carboxylic acid methylamide.

73. A compound selected from
 4-[4-(5-Carbamoyl-2-oxo-oxazolidin-3-yl)-2-fluoro-phenyl]-3,6-dihydro-2H-pyridine-1-carboxylic acid amide;
- 30 4-[4-(5-Carbamoyl-2-oxo-oxazolidin-3-yl)-2-fluoro-phenyl]-3,6-dihydro-2H-pyridine-1-carboxylic acid amide;

- 4-[4-(5-Carbamoyl-2-oxo-oxazolidin-3-yl)-2-fluoro-phenyl]-3,6-dihydro-2H-pyridine-1-carboxylic acid methylamide;
 4-[4-(5-Carbamoyl-2-oxo-oxazolidin-3-yl)-2-fluoro-phenyl]-3,6-dihydro-2H-pyridine-1-carboxylic acid methyl ester;
- 5 4-[2-Fluoro-4-(5-methylcarbamoyl-2-oxo-oxazolidin-3-yl)-phenyl]-3,6-dihydro-2H-pyridine-1-carboxylic acid methyl ester;
 (5R)-N-Methyl-3-[4-(1-Cyano-1,2,3,6-tetrahydro-pyridin-4-yl)-3-fluoro-phenyl]-2-oxo-5-oxazolidinecarboxamide;
 (5R)-3-[4-(1-Cyano-1,2,3,6-tetrahydro-pyridin-4-yl)-3-fluoro-phenyl]-2-oxo-5-oxazolidinecarboxamide;
- 10 (5R)-3-[3-Fluoro-4-(1-methanesulfonyl-1,2,3,6-tetrahydro-pyridin-4-yl)-phenyl]-2-oxo-5-oxazolidinecarboxamide;
 (5R)-N-Methyl-3-[3-Fluoro-4-(1-methanesulfonyl-1,2,3,6-tetrahydro-pyridin-4-yl)-phenyl]-2-oxo-5-oxazolidinecarboxamide;
- 15 (5R)-N-Methyl-3-[3-Fluoro-4-(1-pyrimidin-2-yl-1,2,3,6-tetrahydro-pyridin-4-yl)-phenyl]-2-oxo-5-oxazolidinecarboxamide;
 (5R)-N-Methyl-3-[3-Fluoro-4-(1-pyrimidin-2-yl-1,2,3,6-tetrahydro-pyridin-4-yl)-phenyl]-2-oxo-5-oxazolidinecarboxamide;
 (5R)-3-{3-Fluoro-4-[1-(3-oxo-butyryl)-1,2,3,6-tetrahydro-pyridin-4-yl]-phenyl}-2-oxo-5-oxazolidinecarboxamide;
- 20 (5R)-N-Methyl-3-{3-Fluoro-4-[1-(3-oxo-butyryl)-1,2,3,6-tetrahydro-pyridin-4-yl]-phenyl}-2-oxo-5-oxazolidinecarboxamide;
 (5R)-N-Methyl-3-[3-Fluoro-4-(1-methanesulfonylaminoacetyl-1,2,3,6-tetrahydro-pyridin-4-yl)-phenyl]-2-oxo-5-oxazolidinecarboxamide; or
- 25 (5R)-3-[3-Fluoro-4-(1-methanesulfonylaminoacetyl-1,2,3,6-tetrahydro-pyridin-4-yl)-phenyl]-2-oxo-5-oxazolidinecarboxamide.

74. A compound selected from
 (5R)-3-[3-Fluoro-4-(1-oxo-1,2,3,6-tetrahydro-1 λ^4 -thiopyran-4-yl)-phenyl]-2-oxo-5-oxazolidinecarboxamide;
- 30 (5R)-N-Methyl-3-[3-Fluoro-4-(1-oxo-1,2,3,6-tetrahydro-1 λ^4 -thiopyran-4-yl)-phenyl]-2-oxo-5-oxazolidinecarboxamide;

- (5R)-N-Methyl-3-[3-Fluoro-4-(1-imino-1-oxo-1,2,3,6-tetrahydro-1 λ^6 -thiopyran-4-yl)-phenyl]-2-oxo-5-oxazolidinecarboxamide;
- (5R)-3-[3-Fluoro-4-(1-imino-1-oxo-1,2,3,6-tetrahydro-1 λ^6 -thiopyran-4-yl)-phenyl]-2-oxo-5-oxazolidinecarboxamide;
- 5 (5R)-3-[3-Fluoro-4-(1-methylimino-1-oxo-1,2,3,6-tetrahydro-1 λ^6 -thiopyran-4-yl)-phenyl]-2-oxo-5-oxazolidinecarboxamide;
- (5R)-N-Methyl-3-[3-Fluoro-4-(1-methylimino-1-oxo-1,2,3,6-tetrahydro-1 λ^6 -thiopyran-4-yl)-phenyl]-2-oxo-5-oxazolidinecarboxamide;
- (5R)-N-Methyl-3-[4-(1-Acetylimino-1-oxo-1,2,3,6-tetrahydro-1 λ^6 -thiopyran-4-yl)-3-fluoro-phenyl]-2-oxo-5-oxazolidinecarboxamide;
- 10 (5R)-3-[4-(1-Acetylimino-1-oxo-1,2,3,6-tetrahydro-1 λ^6 -thiopyran-4-yl)-3-fluoro-phenyl]-2-oxo-5-oxazolidinecarboxamide;
- (5R)-3-[3-Fluoro-4-(1-hydroxyacetylimino-1-oxo-1,2,3,6-tetrahydro-1 λ^6 -thiopyran-4-yl)-phenyl]-2-oxo-5-oxazolidinecarboxamide;
- 15 (5R)-N-Methyl-3-[3-Fluoro-4-(1-hydroxyacetylimino-1-oxo-1,2,3,6-tetrahydro-1 λ^6 -thiopyran-4-yl)-phenyl]-2-oxo-5-oxazolidinecarboxamide;
- (5R)-N-Methyl-3-[4-(1,1-Dioxo-1,2,3,6-tetrahydro-1 λ^6 -thiopyran-4-yl)-3,5-difluoro-phenyl]-2-oxo-5-oxazolidinecarboxamide;
- (5R)-3-[4-(1,1-Dioxo-1,2,3,6-tetrahydro-1 λ^6 -thiopyran-4-yl)-3,5-difluoro-phenyl]-2-oxo-5-oxazolidinecarboxamide;
- 20 (5R)-3-[4-(1,1-Dioxo-1,2-dihydro-1 λ^6 -thiopyran-4-yl)-3,5-difluoro-phenyl]-2-oxo-5-oxazolidinecarboxamide;
- (5R)-N-Methyl-3-[4-(1,1-Dioxo-1,2-dihydro-1 λ^6 -thiopyran-4-yl)-3,5-difluoro-phenyl]-2-oxo-5-oxazolidinecarboxamide;
- 25 3-[4-(1,2-dihydro-pyran-4-yl)-3,5-difluoro-phenyl]-2-oxo-oxazolidine-5-carboxylic acid methylamide;
- 3-[4-(1,1-Dioxo-1,2-dihydro-1 λ^6 -thiopyran-4-yl)-3,5-difluoro-phenyl]-2-oxo-5-oxazolidinecarboxamide;
- (5R)-3-[3,5-Difluoro-4-(tetrahydro-pyran-4-yl)-phenyl]-2-oxo-5-oxazolidinecarboxamide;
- 30 (5R)-N-Methyl-3-[3,5-Difluoro-4-(tetrahydro-pyran-4-yl)-phenyl]-2-oxo-5-oxazolidinecarboxamide;

(5R)-N-Methyl-3-[3,5-Difluoro-4-(4-oxo-cyclohex-1-enyl)-phenyl]-2-oxo-5-oxazolidinecarboxamide; or

(5R)-3-[3,5-Difluoro-4-(4-oxo-cyclohex-1-enyl)-phenyl]-2-oxo-5-oxazolidinecarboxamide.

5

75. A compound selected from

(5R)-3-(4-Fluoro-benzothiazol-6-yl)-2-oxo-5-oxazolidinecarboxamide;

(5R)-N-Methyl-3-(4-Fluoro-benzothiazol-6-yl)-2-oxo-5-oxazolidinecarboxamide;

10 (5R)-N-Methyl-3-(4-Fluoro-benzooxazol-6-yl)-2-oxo-5-oxazolidinecarboxamide;

(5R)-3-(4-Fluoro-benzooxazol-6-yl)-2-oxo-5-oxazolidinecarboxamide;

(5R)-3-(4-Fluoro-2-methyl-benzooxazol-6-yl)-2-oxo-5-oxazolidinecarboxamide;

15 (5R)-N-Methyl-3-(4-Fluoro-2-methyl-benzooxazol-6-yl)-2-oxo-5-oxazolidinecarboxamide;

(5R)-N-Methyl-3-(4-Fluoro-2-methanesulfinyl-benzothiazol-6-yl)-2-oxo-5-oxazolidinecarboxamide;

(5R)-3-(4-Fluoro-2-methanesulfinyl-benzothiazol-6-yl)-2-oxo-5-

20 oxazolidinecarboxamide;

(5R)-3-(4-Fluoro-2-methanesulfinyl-benzoxazol-6-yl)-2-oxo-5-oxazolidinecarboxamide;

(5R)-N-Methyl-3-(4-Fluoro-2-methanesulfinyl-benzoxazol-6-yl)-2-oxo-5-oxazolidinecarboxamide;

25 (5R)-N-Methyl-3-(4-Fluoro-2-methanesulfonyl-benzooxazol-6-yl)-2-oxo-5-oxazolidinecarboxamide;

(5R)-3-(4-Fluoro-2-methanesulfonyl-benzooxazol-6-yl)-2-oxo-5-oxazolidinecarboxamide;

(5R)-N-Methyl-3-(4-Fluoro-2-methanesulfonyl-benzothiazol-6-yl)-2-oxo-5-

30 oxazolidinecarboxamide;

(5R)-3-(4-Fluoro-2-methanesulfonyl-benzothiazol-6-yl)-2-oxo-5-oxazolidinecarboxamide;

- (5R)-3-(4-Fluoro-2-morpholin-4-yl-benzothiazol-6-yl)-2-oxo-5-oxazolidinecarboxamide;
- (5R)-3-(4-Fluoro-2-morpholin-4-yl-benzothiazol-6-yl)-2-oxo-5-oxazolidinecarboxamide;
- 5 (5R)-N-Methyl-3-(4-Fluoro-2-thiomorpholin-4-yl-benzothiazol-6-yl)-2-oxo-5-oxazolidinecarboxamide;
- (5R)-3-(4-Fluoro-2-thiomorpholin-4-yl-benzothiazol-6-yl)-2-oxo-5-oxazolidinecarboxamide;
- (5R)-3-[2-(1,1-Dioxo-1 λ^6 -thiomorpholin-4-yl)-4-fluoro-benzothiazol-6-yl]-2-oxo-5-oxazolidinecarboxamide;
- 10 (5R)-N-Methyl-3-[2-(1,1-Dioxo-1 λ^6 -thiomorpholin-4-yl)-4-fluoro-benzothiazol-6-yl]-2-oxo-5-oxazolidinecarboxamide;
- (5R)-N-Methyl-3-[4-Fluoro-2-(4-oxo-piperidin-1-yl)-benzothiazol-6-yl]-2-oxo-5-oxazolidinecarboxamide;
- 15 (5R)-3-[4-Fluoro-2-(4-oxo-piperidin-1-yl)-benzothiazol-6-yl]-2-oxo-5-oxazolidinecarboxamide;
- (5R)-3-[4-Fluoro-2-(4-oxo-piperidin-1-yl)-benzoxazol-6-yl]-2-oxo-5-oxazolidinecarboxamide;
- (5R)-N-Methyl-3-[4-Fluoro-2-(4-oxo-piperidin-1-yl)-benzoxazol-6-yl]-2-oxo-5-oxazolidinecarboxamide;
- 20 (5R)-N-Methyl-3-[4-Fluoro-2-(4-oxo-4*H*-pyridin-1-yl)-benzooxazol-6-yl]-2-oxo-5-oxazolidinecarboxamide;
- (5R)-3-[4-Fluoro-2-(4-oxo-4*H*-pyridin-1-yl)-benzooxazol-6-yl]-2-oxo-5-oxazolidinecarboxamide;
- 25 (5R)-3-[4-Fluoro-2-(4-oxo-4*H*-pyridin-1-yl)-benzothiazol-6-yl]-2-oxo-5-oxazolidinecarboxamide;
- (5R)-N-Methyl-3-[4-Fluoro-2-(4-oxo-4*H*-pyridin-1-yl)-benzothiazol-6-yl]-2-oxo-5-oxazolidine-5-carboxamide;
- (5R)-N-Methyl-3-(2-Amino-4-fluoro-benzothiazol-6-yl)-2-oxo-5-oxazolidinecarboxamide;
- 30 (5R)-3-(2-Amino-4-fluoro-benzothiazol-6-yl)-2-oxo-5-oxazolidinecarboxamide;
- (5R)-3-(2-Amino-4-fluoro-benzoxazol-6-yl)-2-oxo-5-oxazolidinecarboxamide;

- (5R)-N-Methyl-3-(2-Amino-4-fluoro-benzoxazol-6-yl)-2-oxo-5-oxazolidinecarboxamide;
- (5R)-N-Methyl-3-[4-Fluoro-2-(4-oxo-3,4-dihydro-2H-pyridin-1-yl)-benzooxazol-6-yl]-2-oxo-5-oxazolidinecarboxamide; or
- 5 (5R)-3-[2-(4-oxo-3,4-dihydro-2H-pyridin-1-yl)-benzooxazol-6-yl]-2-oxo-5-oxazolidinecarboxamide.
76. A compound selected from
- (5R)-N-Methyl-3-(4,4-Difluoro-1-methyl-2-oxo-1,2,3,4-tetrahydro-quinolin-6-yl)-2-oxo-5-oxazolidinecarboxamide;
- 10 (5R)-3-(4,4-Difluoro-1-methyl-2-oxo-1,2,3,4-tetrahydro-quinolin-6-yl)-2-oxo-5-oxazolidinecarboxamide;
- (5R)-3-(4,4,8-trifluoro-1-methyl-2-oxo-1,2,3,4-tetrahydro-quinolin-6-yl)-2-oxo-5-oxazolidinecarboxamide;
- 15 (5R)-N-Methyl-3-(4,4,8-trifluoro-1-methyl-2-oxo-1,2,3,4-tetrahydro-quinolin-6-yl)-2-oxo-5-oxazolidinecarboxamide;
- (5R)-N-Methyl-3-(5-Fluoro-2-oxo-3,4-dihydro-2H-9-oxa-1,4a-diaza-fluoren-7-yl)-2-oxo-5-oxazolidinecarboxamide;
- (5R)-3-(5-Fluoro-2-oxo-3,4-dihydro-2H-9-oxa-1,4a-diaza-fluoren-7-yl)-2-oxo-5-oxazolidinecarboxamide;
- 20 (5R)-3-(2-oxo-3,4-dihydro-2H-9-oxa-1,4a-diaza-fluoren-7-yl)-2-oxo-5-oxazolidinecarboxamide;
- (5R)-N-Methyl-3-(2-oxo-3,4-dihydro-2H-9-oxa-1,4a-diaza-fluoren-7-yl)-2-oxo-5-oxazolidinecarboxamide;
- 25 (5R)-N-Methyl-3-(2-oxo-2H-9-oxa-1,4a-diaza-fluoren-7-yl)-2-oxo-5-oxazolidinecarboxamide;
- (5R)-3-(2-oxo-2H-9-oxa-1,4a-diaza-fluoren-7-yl)-2-oxo-5-oxazolidinecarboxamide;
- (5R)-N-Methyl-3-(5-Fluoro-2-oxo-2H-9-oxa-1,4a-diaza-fluoren-7-yl)-2-oxo-5-oxazolidinecarboxamide;
- 30 (5R)-3-(5-Fluoro-2-oxo-3,4-dihydro-2H-9-thia-1,4a-diaza-fluoren-7-yl)-2-oxo-5-oxazolidinecarboxamide;

- (5R)-N-Methyl-3-(2-oxo-3,4-dihydro-2*H*-9-thia-1,4a-diaza-fluoren-7-yl)-2-oxo-5-oxazolidinecarboxamide;
- (5R)-3-(2-oxo-3,4-dihydro-2*H*-9-thia-1,4a-diaza-fluoren-7-yl)-2-oxo-5-oxazolidinecarboxamide;
- 5 (5R)-3-(2-oxo-2*H*-9-thia-1,4a-diaza-fluoren-7-yl)-2-oxo-5-oxazolidinecarboxamide;
- (5R)-3-(3,4-Dihydro-2*H*-9-thia-1,4a-diaza-fluoren-7-yl)-2-oxo-5-oxazolidinecarboxamide;
- 3-(3,4-Dihydro-2*H*-9-oxa-1,4a-diaza-fluoren-7-yl)-2-oxo-5-
- 10 oxazolidinecarboxamide;
- (5R)-3-(5-Fluoro-3,4-dihydro-2*H*-9-oxa-1,4a-diaza-fluoren-7-yl)-2-oxo-5-oxazolidinecarboxamide;
- (5R)-N-methyl-3-(5-Fluoro-3,4-dihydro-2*H*-9-oxa-1,4a-diaza-fluoren-7-yl)-2-oxo-5-oxazolidinecarboxamide;
- 15 (5R)-N-methyl-3-(5-Fluoro-3,4-dihydro-2*H*-9-thia-1,4a-diaza-fluoren-7-yl)-2-oxo-5-oxazolidinecarboxamide;
- (5R)-3-(5-Fluoro-3,4-dihydro-2*H*-9-thia-1,4a-diaza-fluoren-7-yl)-2-oxo-5-oxazolidinecarboxamide;
- (5R)-3-(5-Fluoro-2-hydroxy-3,4-dihydro-2*H*-9-thia-1,4a-diaza-fluoren-7-yl)-2-
- 20 oxo-5-oxazolidinecarboxamide;
- (5R)-3-(5-Fluoro-2-hydroxy-3,4-dihydro-2*H*-9-oxa-1,4a-diaza-fluoren-7-yl)-2-oxo-5-oxazolidinecarboxamide;
- (5R)-3-(5-Fluoro-2-oxo-2,3,4,10-tetrahydro-9-oxa-4a-aza-phenanthren-7-yl)-2-oxo-5-oxazolidinecarboxamide;
- 25 (5R)-N-methyl-3-(5-Fluoro-2-oxo-2,3,4,10-tetrahydro-9-oxa-4a-aza-phenanthren-7-yl)-2-oxo-5-oxazolidinecarboxamide;
- (5R)-N-methyl-3-(5-Fluoro-2-oxo-2,10-dihydro-9-oxa-4a-aza-phenanthren-7-yl)-2-oxo-5-oxazolidinecarboxamide;
- (5R)-3-(5-Fluoro-2-oxo-2,10-dihydro-9-oxa-4a-aza-phenanthren-7-yl)-2-oxo-5-
- 30 oxazolidinecarboxamide;
- (5R)-3-(2-oxo-2,10-dihydro-9-oxa-4a-aza-phenanthren-7-yl)-5-oxazolidinecarboxamide;

- (5R)-3-(2-oxo-2,10-dihydro-9-oxa-4a-aza-phenanthren-7-yl)-2-oxo-5-oxazolidinecarboxamide;
- (5R)-N-methyl-3-(10,10-Difluoro-2-oxo-2,10-dihydro-9-oxa-4a-aza-phenanthren-7-yl)-2-oxo-5-oxazolidinecarboxamide;
- 5 (5R)-3-(10,10-Difluoro-2-oxo-2,10-dihydro-9-oxa-4a-aza-phenanthren-7-yl)-2-oxo-5-oxazolidinecarboxamide;
- (5R)-3-(5,10,10-trifluoro-2-oxo-2,10-dihydro-9-oxa-4a-aza-phenanthren-7-yl)-2-oxo-5-oxazolidinecarboxamide;
- (5R)-3-(5,10,10-trifluoro-2-oxo-2,10-dihydro-9-oxa-4a-aza-phenanthren-7-yl)-2-oxo-5-oxazolidinecarboxamide;
- 10 (5R)-3-(5,10,10-trifluoro-2-oxo-2,3,4,10-tetrahydro-9-oxa-4a-aza-phenanthren-7-yl)-2-oxo-5-oxazolidinecarboxamide;
- (5R)-3-(5,10,10-trifluoro-2-oxo-2,3,4,10-tetrahydro-9-oxa-4a-aza-phenanthren-7-yl)-2-oxo-5-oxazolidinecarboxamide;
- 15 (5R)-3-(5-Fluoro-2-oxo-1,2,10,10a-tetrahydro-9-oxa-4a-aza-phenanthren-7-yl)-2-oxo-5-oxazolidinecarboxamide;
- (5R)-3-(5-Fluoro-2-oxo-1,2,10,10a-tetrahydro-9-oxa-4a-aza-phenanthren-7-yl)-2-oxo-5-oxazolidinecarboxamide;
- (5R)-N-methyl-3-(2-oxo-1,2,10,10a-tetrahydro-9-oxa-4a-aza-phenanthren-7-yl)-2-oxo-5-oxazolidinecarboxamide;
- 20 (5R)-3-(2-oxo-1,2,10,10a-tetrahydro-9-oxa-4a-aza-phenanthren-7-yl)-2-oxo-5-oxazolidinecarboxamide;
- (5R)-3-(3-oxo-2,3,5,6-tetrahydro-1H-pyrido[1,2-a]quinolin-8-yl)-2-oxo-5-oxazolidinecarboxamide;
- 25 (5R)-N-methyl-3-(3-oxo-2,3,5,6-tetrahydro-1H-pyrido[1,2-a]quinolin-8-yl)-2-oxo-5-oxazolidinecarboxamide;
- (5R)-N-methyl-3-(3-oxo-5,6-dihydro-3H-pyrido[1,2-a]quinolin-8-yl)-2-oxo-5-oxazolidinecarboxamide;
- (5R)-N-methyl-2-Oxo-3-(3-oxo-5,6-dihydro-3H-pyrido[1,2-a]quinolin-8-yl)-2-oxo-5-oxazolidinecarboxamide;
- 30 (5R)-3-(10-Fluoro-3-oxo-5,6-dihydro-3H-pyrido[1,2-a]quinolin-8-yl)-2-oxo-5-oxazolidinecarboxamide;

- (5R)-3-(10-Fluoro-3-oxo-5,6-dihydro-3*H*-pyrido[1,2-*a*]quinolin-8-yl)-2-oxo-5-oxazolidinecarboxamide;
- (5R)-N-methyl-3-(10-Fluoro-3-oxo-4,4*a*,5,6-tetrahydro-3*H*-pyrido[1,2-*a*]quinolin-8-yl)-2-oxo-5-oxazolidinecarboxamide;
- 5 (5R)-N-methyl-3-(5-Fluoro-2-oxo-2*H*,9*H*-10-oxa-4*a*-aza-phenanthren-7-yl)-2-oxo-5-oxazolidinecarboxamide;
- (5R)-3-(5-Fluoro-2-oxo-2*H*,9*H*-10-oxa-4*a*-aza-phenanthren-7-yl)-2-oxo-5-oxazolidinecarboxamide;
- (5R)-3-(5-Fluoro-2-oxo-3,4-dihydro-2*H*,9*H*-10-oxa-4*a*-aza-phenanthren-7-yl)-2-oxo-5-oxazolidinecarboxamide;
- 10 (5R)-N-methyl-3-(5-Fluoro-2-oxo-3,4-dihydro-2*H*,9*H*-10-oxa-4*a*-aza-phenanthren-7-yl)-2-oxo-5-oxazolidinecarboxamide;
- (5R)-N-methyl-3-(2-oxo-3,4-dihydro-2*H*,9*H*-10-oxa-4*a*-aza-phenanthren-7-yl)-2-oxo-5-oxazolidinecarboxamide; or
- 15 (5R)-3-(2-oxo-3,4-dihydro-2*H*,9*H*-10-oxa-4*a*-aza-phenanthren-7-yl)-2-oxo-5-oxazolidinecarboxamide.

77. A compound selected from

- (5R)-3-[3-Fluoro-4-(3-oxo-bicyclo[3.1.0]hex-6-yl)-phenyl]-2-oxo-5-oxazolidinecarboxamide;
- 20 (5R)-3-[3-Fluoro-4-(3-hydroxy-bicyclo[3.1.0]hex-6-yl)-phenyl]-2-oxo-5-oxazolidinecarboxamide;
- (5R)-3-[3-Fluoro-4-(3-hydroxy-3-aza-bicyclo[3.1.0]hex-6-yl)-phenyl]-2-oxo-5-oxazolidinecarboxamide;
- 25 (5R)-3-[3-Fluoro-4-(3-methoxy-3-aza-bicyclo[3.1.0]hex-6-yl)-phenyl]-2-oxo-5-oxazolidinecarboxamide;
- (5R)-3-[4-(3-Cyano-3-aza-bicyclo[3.1.0]hex-6-yl)-3-fluoro-phenyl]-2-oxo-5-oxazolidinecarboxamide;
- (5R)-3-[3-Fluoro-4-(2-oxo-3-oxa-bicyclo[3.1.0]hex-6-yl)-phenyl]-2-oxo-5-oxazolidinecarboxamide;
- 30 (5R)-3-[3-Fluoro-4-(2-oxo-3-aza-bicyclo[3.1.0]hex-6-yl)-phenyl]-2-oxo-5-oxazolidinecarboxamide; or

(5R)-3-[3-Fluoro-4-(3-methyl-2-oxo-3-aza-bicyclo[3.1.0]hex-6-yl)-phenyl]-2-oxo-5-oxazolidinecarboxamide.

78. A compound selected from

- 5 (5R)-3-(1,4,5,6-tetrahydro-1,2-diaza-benzo[e]azulen-8-yl)-2-oxo-5-oxazolidinecarboxamide;
(5R)-N-methyl-3-(1,4,5,6-tetrahydro-1,2-diaza-benzo[e]azulen-8-yl)-2-oxo-5-oxazolidinecarboxamide;
(5R)-N-ethyl-3-(1,4,5,6-tetrahydro-1,2-diaza-benzo[e]azulen-8-yl)-2-oxo-5-oxazolidinecarboxamide;
- 10 (5R)-3-(5,6-Dihydro-4H-1-oxa-2-aza-benzo[e]azulen-8-yl)-2-oxo-5-oxazolidinecarboxamide;
(5R)-N-methyl-3-(5,6-Dihydro-4H-1-oxa-2-aza-benzo[e]azulen-8-yl)-2-oxo-5-oxazolidinecarboxamide;
- 15 (5R)-N-ethyl-3-(5,6-Dihydro-4H-1-oxa-2-aza-benzo[e]azulen-8-yl)-2-oxo-5-oxazolidinecarboxamide;
(5R)-3-(1,4,5,6-tetrahydro-1,2,10-triaza-benzo[e]azulen-8-yl)-2-oxo-5-oxazolidinecarboxamide;
(5R)-N-methyl-3-(1,4,5,6-tetrahydro-1,2,10-triaza-benzo[e]azulen-8-yl)-2-oxo-5-oxazolidinecarboxamide;
- 20 (5R)-N-ethyl-3-(1,4,5,6-tetrahydro-1,2,10-triaza-benzo[e]azulen-8-yl)-2-oxo-5-oxazolidinecarboxamide;
(5R)-3-(5,6-Dihydro-4H-1-oxa-2,10-diaza-benzo[e]azulen-8-yl)-2-oxo-5-oxazolidinecarboxamide;
- 25 (5R)-N-methyl-3-(5,6-Dihydro-4H-1-oxa-2,10-diaza-benzo[e]azulen-8-yl)-2-oxo-5-oxazolidinecarboxamide;
(5R)-N-ethyl-3-(5,6-Dihydro-4H-1-oxa-2,10-diaza-benzo[e]azulen-8-yl)-2-oxo-5-oxazolidinecarboxamide;
(5R)-3-(10-Fluoro-1,4,5,6-tetrahydro-1,2-diaza-benzo[e]azulen-8-yl)-2-oxo-5-oxazolidinecarboxamide;
- 30 (5R)-N-methyl-3-(10-Fluoro-1,4,5,6-tetrahydro-1,2-diaza-benzo[e]azulen-8-yl)-2-oxo-5-oxazolidinecarboxamide;
(5R)-N-ethyl-3-(10-Fluoro-1,4,5,6-tetrahydro-1,2-diaza-benzo[e]azulen-8-yl)-2-oxo-5-oxazolidinecarboxamide;

- (5R)-3-(10-Fluoro-5,6-dihydro-4H-1-oxa-2-aza-benzo[e]azulen-8-yl)-2-oxo-5-oxazolidinecarboxamide;
- (5R)-N-methyl-3-(10-Fluoro-5,6-dihydro-4H-1-oxa-2-aza-benzo[e]azulen-8-yl)-2-oxo-5-oxazolidinecarboxamide;
- 5 (5R)-N-ethyl-3-(10-Fluoro-5,6-dihydro-4H-1-oxa-2-aza-benzo[e]azulen-8-yl)-2-oxo-5-oxazolidinecarboxamide;
- (5R)-3-(7-Fluoro-1,4,5,6-tetrahydro-1,2-diaza-benzo[e]azulen-8-yl)-2-oxo-5-oxazolidinecarboxamide;
- (5R)-N-methyl-3-(7-Fluoro-1,4,5,6-tetrahydro-1,2-diaza-benzo[e]azulen-8-yl)-2-oxo-5-oxazolidinecarboxamide;
- 10 (5R)-N-ethyl-3-(7-Fluoro-1,4,5,6-tetrahydro-1,2-diaza-benzo[e]azulen-8-yl)-2-oxo-5-oxazolidinecarboxamide;
- (5R)-3-(7-Fluoro-5,6-dihydro-4H-1-oxa-2-aza-benzo[e]azulen-8-yl)-2-oxo-5-oxazolidinecarboxamide;
- 15 (5R)-N-methyl-3-(7-Fluoro-5,6-dihydro-4H-1-oxa-2-aza-benzo[e]azulen-8-yl)-2-oxo-5-oxazolidinecarboxamide;
- (5R)-N-ethyl-3-(7-Fluoro-5,6-dihydro-4H-1-oxa-2-aza-benzo[e]azulen-8-yl)-2-oxo-5-oxazolidinecarboxamide;
- (5R)-3-(4,5-Dihydro-1H-6-oxa-1,2-diaza-benzo[e]azulen-8-yl)-2-oxo-5-oxazolidinecarboxamide;
- 20 (5R)-N-Methyl-3-(4,5-Dihydro-1H-6-oxa-1,2-diaza-benzo[e]azulen-8-yl)-2-oxo-5-oxazolidinecarboxamide;
- (5R)-N-ethyl-3-(4,5-Dihydro-1H-6-oxa-1,2-diaza-benzo[e]azulen-8-yl)-2-oxo-5-oxazolidinecarboxamide;
- 25 (5R)-3-(4,5-Dihydro-1,6-dioxa-2-aza-benzo[e]azulen-8-yl)-2-oxo-5-oxazolidinecarboxamide;
- (5R)-N-methyl-3-(4,5-Dihydro-1,6-dioxa-2-aza-benzo[e]azulen-8-yl)-2-oxo-5-oxazolidinecarboxamide;
- (5R)-N-ethyl-3-(4,5-Dihydro-1,6-dioxa-2-aza-benzo[e]azulen-8-yl)-2-oxo-5-oxazolidinecarboxamide;
- 30 (5R)-3-(3-Isloxazol-5-yl-1,4,5,6-tetrahydro-1,2-diaza-benzo[e]azulen-8-yl)-2-oxo-5-oxazolidinecarboxamide;
- (5R)-N-methyl-3-(3-Isloxazol-5-yl-1,4,5,6-tetrahydro-1,2-diaza-benzo[e]azulen-8-yl)-2-oxo-5-oxazolidinecarboxamide;

- (5R)-N-ethyl-3-(3-Isoxazol-5-yl-1,4,5,6-tetrahydro-1,2-diaza-benzo[e]azulen-8-yl)-2-oxo-5-oxazolidinecarboxamide;
- (5R)-3-(3-Isoxazol-5-yl-4,5-dihydro-1H-6-oxa-1,2-diaza-benzo[e]azulen-8-yl)-2-oxo-5-oxazolidinecarboxamide;
- 5 (5R)-N-methyl-3-(3-Isoxazol-5-yl-4,5-dihydro-1H-6-oxa-1,2-diaza-benzo[e]azulen-8-yl)-2-oxo-oxazolidine-5-carboxylic acid methylamide;
- (5R)-N-ethyl-3-(3-Isoxazol-5-yl-4,5-dihydro-1H-6-oxa-1,2-diaza-benzo[e]azulen-8-yl)-2-oxo-5-oxazolidinecarboxamide;
- (5R)-3-(7-Fluoro-3-isoxazol-5-yl-4,5-dihydro-1H-6-oxa-1,2-diaza-benzo[e]azulen-8-yl)-2-oxo-5-oxazolidinecarboxamide;
- 10 (5R)-3-(7-Fluoro-3-isoxazol-5-yl-4,5-dihydro-1,6-dioxo-2-aza-benzo[e]azulen-8-yl)-2-oxo-5-oxazolidinecarboxamide;
- (5R)-3-(3-Methylamino-1,4,5,6-tetrahydro-1,2-diaza-benzo[e]azulen-8-yl)-2-oxo-5-oxazolidinecarboxamide;
- 15 (5R)-N-methyl-3-(3-Methylamino-1,4,5,6-tetrahydro-1,2-diaza-benzo[e]azulen-8-yl)-2-oxo-oxazolidine-5-carboxylic acid methylamide;
- (5R)-N-ethyl-3-(3-Methylamino-1,4,5,6-tetrahydro-1,2-diaza-benzo[e]azulen-8-yl)-2-oxo-5-oxazolidinecarboxamide;
- (5R)-3-(3-Methylamino-4,5-dihydro-1H-6-oxa-1,2-diaza-benzo[e]azulen-8-yl)-2-oxo-5-oxazolidinecarboxamide;
- 20 (5R)-N-methyl-3-(3-Methylamino-4,5-dihydro-1H-6-oxa-1,2-diaza-benzo[e]azulen-8-yl)-2-oxo-5-oxazolidinecarboxamide;
- (5R)-N-ethyl-3-(3-Methylamino-4,5-dihydro-1H-6-oxa-1,2-diaza-benzo[e]azulen-8-yl)-2-oxo-5-oxazolidinecarboxamide;
- 25 (5R)-3-(3-Methoxy-4,5-dihydro-1H-6-oxa-1,2-diaza-benzo[e]azulen-8-yl)-2-oxo-5-oxazolidinecarboxamide;
- (5R)-N-methyl-3-(3-Methoxy-4,5-dihydro-1H-6-oxa-1,2-diaza-benzo[e]azulen-8-yl)-2-oxo-5-oxazolidinecarboxamide;
- (5R)-N-ethyl-3-(3-Methoxy-4,5-dihydro-1H-6-oxa-1,2-diaza-benzo[e]azulen-8-yl)-2-oxo-5-oxazolidinecarboxamide;
- 30 (5R)-3-(3-Methoxy-1,4,5,6-tetrahydro-1,2-diaza-benzo[e]azulen-8-yl)-2-oxo-5-oxazolidinecarboxamide;
- (5R)-N-methyl-3-(3-Methoxy-1,4,5,6-tetrahydro-1,2-diaza-benzo[e]azulen-8-yl)-2-oxo-5-oxazolidinecarboxamide;

- (5R)-N-ethyl-3-(3-Methoxy-1,4,5,6-tetrahydro-1,2-diaza-benzo[e]azulen-8-yl)-2-oxo-5-oxazolidinecarboxamide;
- (5R)-3-(3-Ethyl-4,5-dihydro-1H-6-oxa-1,2-diaza-benzo[e]azulen-8-yl)-2-oxo-5-oxazolidinecarboxamide;
- 5 (5R)-N-methyl-3-(3-Ethyl-4,5-dihydro-1H-6-oxa-1,2-diaza-benzo[e]azulen-8-yl)-2-oxo-5-oxazolidinecarboxamide;
- (5R)-3-(3-Ethyl-1,4,5,6-tetrahydro-1,2-diaza-benzo[e]azulen-8-yl)-2-oxo-5-oxazolidinecarboxamide;
- (5R)-N-methyl-3-(3-Ethyl-1,4,5,6-tetrahydro-1,2-diaza-benzo[e]azulen-8-yl)-2-oxo-5-oxazolidinecarboxamide;
- 10 (5R)-N-ethyl-3-(3-Ethyl-1,4,5,6-tetrahydro-1,2-diaza-benzo[e]azulen-8-yl)-2-oxo-5-oxazolidinecarboxamide;
- (5R)-3-(3-Ethyl-7-fluoro-4,5-dihydro-1H-6-oxa-1,2-diaza-benzo[e]azulen-8-yl)-2-oxo-5-oxazolidinecarboxamide;
- (5R)-N-methyl-3-(3-Ethyl-10-fluoro-4,5-dihydro-1H-6-oxa-1,2-diaza-benzo[e]azulen-8-yl)-2-oxo-5-oxazolidinecarboxamide;
- (5R)-3-(3-Ethyl-10-fluoro-1,4,5,6-tetrahydro-1,2-diaza-benzo[e]azulen-8-yl)-2-oxo-5-oxazolidinecarboxamide;
- (5R)-N-methyl-3-(3-Ethyl-10-fluoro-1,4,5,6-tetrahydro-1,2-diaza-benzo[e]azulen-8-yl)-2-oxo-5-oxazolidinecarboxamide;
- 20 (5R)-3-(3-Ethyl-7-fluoro-1,4,5,6-tetrahydro-1,2-diaza-benzo[e]azulen-8-yl)-2-oxo-5-oxazolidinecarboxamide;
- (5R)-3-(7-Fluoro-3-methoxy-4,5-dihydro-1H-6-oxa-1,2-diaza-benzo[e]azulen-8-yl)-2-oxo-5-oxazolidinecarboxamide;
- (5R)-N-methyl-3-(10-Fluoro-3-methoxy-4,5-dihydro-1H-6-oxa-1,2-diaza-benzo[e]azulen-8-yl)-2-oxo-5-oxazolidinecarboxamide;
- (5R)-3-(10-Fluoro-3-methoxy-1,4,5,6-tetrahydro-1,2-diaza-benzo[e]azulen-8-yl)-2-oxo-5-oxazolidinecarboxamide;
- (5R)-N-methyl-3-(10-Fluoro-3-methoxy-1,4,5,6-tetrahydro-1,2-diaza-benzo[e]azulen-8-yl)-2-oxo-5-oxazolidinecarboxamide;
- 30 (5R)-3-(7-Fluoro-3-methoxy-1,4,5,6-tetrahydro-1,2-diaza-benzo[e]azulen-8-yl)-2-oxo-5-oxazolidinecarboxamide;
- (5R)-3-(7-Fluoro-3-methylamino-4,5-dihydro-1H-6-oxa-1,2-diaza-benzo[e]azulen-8-yl)-2-oxo-5-oxazolidinecarboxamide;

- (5R)-N-methyl-3-(10-Fluoro-3-methylamino-4,5-dihydro-1H-6-oxa-1,2-diaza-benzo[e]azulen-8-yl)-2-oxo-5-oxazolidinecarboxamide;
- (5R)-3-(10-Fluoro-3-methylamino-1,4,5,6-tetrahydro-1,2-diaza-benzo[e]azulen-8-yl)-2-oxo-5-oxazolidinecarboxamide;
- 5 (5R)-N-methyl-3-(10-Fluoro-3-methylamino-1,4,5,6-tetrahydro-1,2-diaza-benzo[e]azulen-8-yl)-2-oxo-5-oxazolidinecarboxamide;
- (5R)-3-(7-Fluoro-3-methylamino-1,4,5,6-tetrahydro-1,2-diaza-benzo[e]azulen-8-yl)-2-oxo-5-oxazolidinecarboxamide;
- (5R)-3-(3-tert-Butyl-4-fluoro-2-oxo-2,3-dihydro-benzooxazol-6-yl)-2-oxo-5-
- 10 oxazolidinecarboxamide;
- (5R)-N-methyl-3-(3-tert-Butyl-4-fluoro-2-oxo-2,3-dihydro-benzooxazol-6-yl)-2-oxo-5-oxazolidinecarboxamide;
- (5R)-3-(3-tert-Butyl-2-oxo-2,3-dihydro-benzooxazol-6-yl)-2-oxo-5-oxazolidinecarboxamide;
- 15 (5R)-N-methyl-3-(3-tert-Butyl-2-oxo-2,3-dihydro-benzooxazol-6-yl)-2-oxo-5-oxazolidinecarboxamide;
- (5R)-3-[4-Fluoro-2-oxo-3-(2,2,2-trifluoro-ethyl)-2,3-dihydro-benzooxazol-6-yl]-2-oxo-5-oxazolidinecarboxamide;
- (5R)-N-ethyl-3-(3-tert-Butyl-2-oxo-2,3-dihydro-benzothiazol-6-yl)-2-oxo-5-
- 20 oxazolidinecarboxamide;
- (5R)-N-ethyl-3-[4-Fluoro-2-oxo-3-(2,2,2-trifluoro-ethyl)-2,3-dihydro-benzooxazol-6-yl]-2-oxo-5-oxazolidinecarboxamide;
- (5R)-3-(3-tert-Butyl-2-oxo-2,3-dihydro-benzothiazol-6-yl)-2-oxo-5-oxazolidinecarboxamide;
- 25 (5R)-N-methyl-3-(3-tert-Butyl-2-oxo-2,3-dihydro-benzothiazol-6-yl)-2-oxo-5-oxazolidinecarboxamide;
- (5R)-N-methyl-3-[4-Fluoro-2-oxo-3-(2,2,2-trifluoro-ethyl)-2,3-dihydro-benzooxazol-6-yl]-2-oxo-5-oxazolidinecarboxamide;
- (5R)-3-[2-oxo-3-(2,2,2-trifluoro-ethyl)-2,3-dihydro-benzothiazol-6-yl]-2-oxo-5-
- 30 oxazolidinecarboxamide;
- (5R)-N-methyl-3-[2-oxo-3-(2,2,2-trifluoro-ethyl)-2,3-dihydro-benzothiazol-6-yl]-2-oxo-5-oxazolidinecarboxamide;
- (5R)-3-[2-oxo-3-(2,2,2-trifluoro-ethyl)-2,3-dihydro-benzooxazol-6-yl]-2-oxo-5-oxazolidinecarboxamide;

- (5R)-3-(3-Cyclopropyl-4-fluoro-2-oxo-2,3-dihydro-benzooxazol-6-yl)-2-oxo-5-oxazolidinecarboxamide;
- (5R)-N-methyl-3-(3-Cyclopropyl-4-fluoro-2-oxo-2,3-dihydro-benzooxazol-6-yl)-2-oxo-5-oxazolidinecarboxamide;
- 5 (5R)-3-(3-Cyclopropyl-2-oxo-2,3-dihydro-benzooxazol-6-yl)-2-oxo-5-oxazolidinecarboxamide;
- (5R)-N-Methyl-3-(3-Cyclopropyl-2-oxo-2,3-dihydro-benzooxazol-6-yl)-2-oxo-5-oxazolidinecarboxamide;
- (5R)-3-(3-Cyclopropyl-4-fluoro-2-oxo-2,3-dihydro-benzothiazol-6-yl)-2-oxo-5-oxazolidinecarboxamide;
- 10 (5R)-N-methyl-3-(3-Cyclopropyl-4-fluoro-2-oxo-2,3-dihydro-benzothiazol-6-yl)-2-oxo-5-oxazolidinecarboxamide;
- (5R)-3-[3-(2,3-Difluoro-cyclopropyl)-4-fluoro-2-oxo-2,3-dihydro-benzooxazol-6-yl]-2-oxo-5-oxazolidinecarboxamide;
- 15 (5R)-3-(4-tert-Butyl-3-oxo-3,4-dihydro-2H-benzo[1,4]oxazin-7-yl)-2-oxo-5-oxazolidinecarboxamide;
- (5R)-N-methyl-3-(4-tert-Butyl-3-oxo-3,4-dihydro-2H-benzo[1,4]oxazin-7-yl)-2-oxo-5-oxazolidinecarboxamide;
- (5R)-3-(4-tert-Butyl-5-fluoro-3-oxo-3,4-dihydro-2H-benzo[1,4]oxazin-7-yl)-2-oxo-5-oxazolidinecarboxamide;
- 20 (5R)-N-methyl-3-(4-tert-Butyl-5-fluoro-3-oxo-3,4-dihydro-2H-benzo[1,4]oxazin-7-yl)-2-oxo-5-oxazolidinecarboxamide;
- (5R)-3-(4-tert-Butyl-5-fluoro-3-oxo-3,4-dihydro-2H-benzo[1,4]oxazin-7-yl)-2-oxo-5-oxazolidinecarboxamide;
- 25 (5R)-3-(4-tert-Butyl-5-fluoro-3-oxo-3,4-dihydro-2H-benzo[1,4]thiazin-7-yl)-2-oxo-5-oxazolidinecarboxamide;
- (5R)-3-(4-Cyclopropyl-3-oxo-3,4-dihydro-2H-benzo[1,4]oxazin-7-yl)-2-oxo-5-oxazolidinecarboxamide;
- (5R)-N-methyl-3-(4-Cyclopropyl-3-oxo-3,4-dihydro-2H-benzo[1,4]oxazin-7-yl)-2-oxo-5-oxazolidinecarboxamide;
- 30 (5R)-3-(4-Cyclopropyl-5-fluoro-3-oxo-3,4-dihydro-2H-benzo[1,4]oxazin-7-yl)-2-oxo-5-oxazolidinecarboxamide;
- (5R)-N-methyl-3-(4-Cyclopropyl-5-fluoro-3-oxo-3,4-dihydro-2H-benzo[1,4]oxazin-7-yl)-2-oxo-5-oxazolidinecarboxamide;

- (5R)-3-(4-Cyclopropyl-5-fluoro-3-oxo-3,4-dihydro-2H-benzo[1,4]thiazin-7-yl)-2-oxo-5-oxazolidinecarboxamide;
- (5R)-3-[3-oxo-4-(2,2,2-trifluoro-ethyl)-3,4-dihydro-2H-benzo[1,4]oxazin-7-yl]-2-oxo-5-oxazolidinecarboxamide;
- 5 (5R)-N-methyl-3-[3-oxo-4-(2,2,2-trifluoro-ethyl)-3,4-dihydro-2H-benzo[1,4]oxazin-7-yl]-2-oxo-5-oxazolidinecarboxamide;
- (5R)-3-[5-Fluoro-3-oxo-4-(2,2,2-trifluoro-ethyl)-3,4-dihydro-2H-benzo[1,4]oxazin-7-yl]-2-oxo-5-oxazolidinecarboxamide;
- (5R)-N-methyl-3-[5-Fluoro-3-oxo-4-(2,2,2-trifluoro-ethyl)-3,4-dihydro-2H-benzo[1,4]oxazin-7-yl]-2-oxo-5-oxazolidinecarboxamide;
- 10 (5R)-3-[5-Fluoro-3-oxo-4-(2,2,2-trifluoro-ethyl)-3,4-dihydro-2H-benzo[1,4]thiazin-7-yl]-2-oxo-5-oxazolidinecarboxamide;
- (5R)-3-(3-tert-Butyl-2-ethylimino-4-fluoro-2,3-dihydro-benzooxazol-6-yl)-2-oxo-5-oxazolidinecarboxamide;
- 15 (5R)-N-methyl-3-(3-tert-Butyl-2-ethylimino-4-fluoro-2,3-dihydro-benzooxazol-6-yl)-2-oxo-5-oxazolidinecarboxamide;
- (5R)-3-(3-tert-Butyl-2-ethylimino-2,3-dihydro-benzooxazol-6-yl)-2-oxo-5-oxazolidinecarboxamide;
- (5R)-N-methyl-3-(3-tert-Butyl-2-ethylimino-2,3-dihydro-benzooxazol-6-yl)-2-oxo-5-oxazolidinecarboxamide;
- 20 (5R)-3-[2-Ethylimino-4-fluoro-3-(2,2,2-trifluoro-ethyl)-2,3-dihydro-benzooxazol-6-yl]-2-oxo-5-oxazolidinecarboxamide;
- (5R)-3-(3-tert-Butyl-4-fluoro-2-methoxyimino-2,3-dihydro-benzooxazol-6-yl)-2-oxo-5-oxazolidinecarboxamide;
- 25 (5R)-N-methyl-3-(3-tert-Butyl-4-fluoro-2-methoxyimino-2,3-dihydro-benzooxazol-6-yl)-2-oxo-5-oxazolidinecarboxamide;
- (5R)-3-(3-tert-Butyl-2-methoxyimino-2,3-dihydro-benzooxazol-6-yl)-2-oxo-5-oxazolidinecarboxamide;
- (5R)-N-methyl-3-(3-tert-Butyl-2-methoxyimino-2,3-dihydro-benzooxazol-6-yl)-2-oxo-5-oxazolidinecarboxamide;
- 30 (5R)-3-[4-Fluoro-2-methoxyimino-3-(2,2,2-trifluoro-ethyl)-2,3-dihydro-benzooxazol-6-yl]-2-oxo-5-oxazolidinecarboxamide;
- (5R)-3-[3-tert-Butyl-4-fluoro-2-(2-hydroxy-ethoxyimino)-2,3-dihydro-benzooxazol-6-yl]-2-oxo-5-oxazolidinecarboxamide;

- (5R)-N-methyl-3-[3-tert-Butyl-4-fluoro-2-(2-hydroxy-ethoxyimino)-2,3-dihydro-benzooxazol-6-yl]-2-oxo-5-oxazolidinecarboxamide;
- (5R)-3-[3-tert-Butyl-2-(2-hydroxy-ethoxyimino)-2,3-dihydro-benzooxazol-6-yl]-2-oxo-5-oxazolidinecarboxamide;
- 5 (5R)-N-methyl-3-[3-tert-Butyl-2-(2-hydroxy-ethoxyimino)-2,3-dihydro-benzooxazol-6-yl]-2-oxo-5-oxazolidinecarboxamide;
- (5R)-3-[4-Fluoro-2-(2-hydroxy-ethoxyimino)-3-(2,2,2-trifluoro-ethyl)-2,3-dihydro-benzooxazol-6-yl]-2-oxo-5-oxazolidinecarboxamide;
- (5R)-3-(3-tert-Butyl-2-ethylimino-2,3-dihydro-benzothiazol-6-yl)-2-oxo-5-
- 10 oxazolidinecarboxamide;
- (5R)-N-methyl-3-(3-tert-Butyl-2-ethylimino-2,3-dihydro-benzothiazol-6-yl)-2-oxo-5-oxazolidinecarboxamide;
- (5R)-N-methyl-3-[2-Ethylimino-4-fluoro-3-(2,2,2-trifluoro-ethyl)-2,3-dihydro-benzooxazol-6-yl]-2-oxo-5-oxazolidinecarboxamide;
- 15 (5R)-3-[3-tert-Butyl-2-(2-hydroxy-ethylimino)-2,3-dihydro-oxazolo[4,5-b]pyridin-6-yl]-2-oxo-5-oxazolidinecarboxamide;
- (5R)-N-methyl-3-[3-tert-Butyl-2-(2-hydroxy-ethylimino)-2,3-dihydro-oxazolo[4,5-b]pyridin-6-yl]-2-oxo-5-oxazolidinecarboxamide;
- (5R)-3-[3-tert-Butyl-2-(2-hydroxy-ethylimino)-2,3-dihydro-benzothiazol-6-yl]-2-oxo-
- 20 5-oxazolidinecarboxamide;
- (5R)-N-methyl-3-[3-tert-Butyl-2-(2-hydroxy-ethylimino)-2,3-dihydro-benzothiazol-6-yl]-2-oxo-5-oxazolidinecarboxamide;
- (5R)-N-methyl-3-[4-Fluoro-2-(2-hydroxy-ethylimino)-3-(2,2,2-trifluoro-ethyl)-2,3-dihydro-benzooxazol-6-yl]-2-oxo-5-oxazolidinecarboxamide;
- 25 (5R)-3-(3-tert-Butyl-2-methoxyimino-2,3-dihydro-benzothiazol-6-yl)-2-oxo-5-oxazolidinecarboxamide;
- (5R)-N-methyl-3-(3-tert-Butyl-2-methoxyimino-2,3-dihydro-benzothiazol-6-yl)-2-oxo-5-oxazolidinecarboxamide;
- (5R)-N-methyl-3-[4-Fluoro-2-methoxyimino-3-(2,2,2-trifluoro-ethyl)-2,3-dihydro-benzooxazol-6-yl]-2-oxo-5-oxazolidinecarboxamide;
- 30 (5R)-3-[4-tert-Butyl-3-(2-hydroxy-ethylimino)-3,4-dihydro-2H-benzo[1,4]oxazin-7-yl]-2-oxo-5-oxazolidinecarboxamide;
- (5R)-N-methyl-3-[4-tert-Butyl-3-(2-hydroxy-ethylimino)-3,4-dihydro-2H-benzo[1,4]oxazin-7-yl]-2-oxo-5-oxazolidinecarboxamide;

- (5R)-3-[4-tert-Butyl-5-fluoro-3-(2-hydroxy-ethylimino)-3,4-dihydro-2H-benzo[1,4]oxazin-7-yl]-2-oxo-5-oxazolidinecarboxamide;
- (5R)-N-methyl-3-[4-tert-Butyl-5-fluoro-3-(2-hydroxy-ethylimino)-3,4-dihydro-2H-benzo[1,4]oxazin-7-yl]-2-oxo-5-oxazolidinecarboxamide;
- 5 (5R)-3-(4-tert-Butyl-3-methoxyimino-3,4-dihydro-2H-benzo[1,4]oxazin-7-yl)-2-oxo-5-oxazolidinecarboxamide;
- (5R)-N-methyl-3-(4-tert-Butyl-3-methoxyimino-3,4-dihydro-2H-benzo[1,4]oxazin-7-yl)-2-oxo-5-oxazolidinecarboxamide;
- (5R)-3-(4-tert-Butyl-5-fluoro-3-methoxyimino-3,4-dihydro-2H-benzo[1,4]oxazin-7-yl)-2-oxo-5-oxazolidinecarboxamide;
- 10 (5R)-N-methyl-3-(4-tert-Butyl-5-fluoro-3-methoxyimino-3,4-dihydro-2H-benzo[1,4]oxazin-7-yl)-2-oxo-5-oxazolidinecarboxamide;
- (5R)-3-(4-Fluoro-3-methyl-2-methylimino-2,3-dihydro-benzooxazol-6-yl)-2-oxo-5-oxazolidinecarboxamide;
- 15 (5R)-3-(3-Ethyl-4-fluoro-2-methylimino-2,3-dihydro-benzooxazol-6-yl)-2-oxo-5-oxazolidinecarboxamide;
- (5R)-3-(4-Fluoro-3-isopropyl-2-methylimino-2,3-dihydro-benzooxazol-6-yl)-2-oxo-5-oxazolidinecarboxamide;
- (5R)-N-methyl-3-(4-Fluoro-3-methyl-2-methylimino-2,3-dihydro-benzooxazol-6-yl)-2-oxo-5-oxazolidinecarboxamide;
- 20 (5R)-N-methyl-3-(3-Ethyl-4-fluoro-2-methylimino-2,3-dihydro-benzooxazol-6-yl)-2-oxo-5-oxazolidinecarboxamide;
- (5R)-N-methyl-3-(4-Fluoro-3-isopropyl-2-methylimino-2,3-dihydro-benzooxazol-6-yl)-2-oxo-5-oxazolidinecarboxamide;
- 25 (5R)-3-(3-Isopropyl-2-methylimino-2,3-dihydro-benzooxazol-6-yl)-2-oxo-5-oxazolidinecarboxamide;
- (5R)-3-(5-Fluoro-3-methoxyimino-4-methyl-3,4-dihydro-2H-benzo[1,4]oxazin-7-yl)-2-oxo-5-oxazolidinecarboxamide;
- (5R)-N-methyl-3-(5-Fluoro-3-methoxyimino-4-methyl-3,4-dihydro-2H-benzo[1,4]oxazin-7-yl)-2-oxo-5-oxazolidinecarboxamide;
- 30 (5R)-3-(4-Ethyl-5-fluoro-3-methoxyimino-3,4-dihydro-2H-benzo[1,4]oxazin-7-yl)-2-oxo-5-oxazolidinecarboxamide;

- (5R)-3-(5-Fluoro-4-isopropyl-3-methoxyimino-3,4-dihydro-2H-benzo[1,4]oxazin-7-yl)-2-oxo-5-oxazolidinecarboxamide;
 (5R)-3-[4-(1-Cyano-cyclopropyl)-3-fluoro-phenyl]-2-oxo-5-oxazolidinecarboxamide;
 5 (5R)-N-methyl-3-[4-(1-Cyano-cyclopropyl)-3-fluoro-phenyl]-2-oxo-5-oxazolidinecarboxamide;
 (5R)-N-methyl-3-[3-Fluoro-4-(1-fluoro-cyclopropyl)-phenyl]-2-oxo-5-oxazolidinecarboxamide;
 (5R)-3-[3-Fluoro-4-(1-fluoro-cyclopropyl)-phenyl]-2-oxo-5-oxazolidinecarboxamide;
 10 (5R)-3-(4-Cyclopropyl-3-fluoro-phenyl)-2-oxo-5-oxazolidinecarboxamide;
 (5R)-3-(1-Methyl-2-oxo-1,2,3,4-tetrahydro-quinolin-6-yl)-2-oxo-5-oxazolidinecarboxamide;
 (5R)-3-(8-Fluoro-1-methyl-2-oxo-1,2,3,4-tetrahydro-quinolin-6-yl)-2-oxo-5-oxazolidinecarboxamide;
 15 (5R)-N-methyl-3-(8-Fluoro-1-methyl-2-oxo-1,2,3,4-tetrahydro-quinolin-6-yl)-2-oxo-5-oxazolidinecarboxamide;
 (5R)-3-(4,4,8-trifluoro-1-methyl-2-oxo-1,2,3,4-tetrahydro-quinolin-6-yl)-2-oxo-5-oxazolidinecarboxamide;
 20 (5R)-N-methyl-3-(4,4,8-trifluoro-1-methyl-2-oxo-1,2,3,4-tetrahydro-quinolin-6-yl)-2-oxo-5-oxazolidinecarboxamide; or
 (5R)-3-(4,4-Difluoro-1-methyl-2-oxo-1,2,3,4-tetrahydro-quinolin-6-yl)-2-oxo-5-oxazolidinecarboxamide
- 25 79. A method for the treatment of microbial infections in mammals comprising administration of an effective amount of compound of claim 1 or claim 20 to said mammal.
80. The method of claim 79 wherein said compound is administered to the
 30 mammal orally, parenterally, transdermally, or topically in a pharmaceutical composition.

81. The method of claim 80 wherein said compound is administered in an amount of from about 0.1 to about 100 mg/kg of body weight/day.

82. The method of claim 80 wherein said compound is administered in an amount
5 of from about 1 to about 50 mg/kg of body weight/day.

83. A pharmaceutical composition comprising a compound of claim 1 or a compound of claim 20 and a pharmaceutically acceptable carrier.